



No PCB 05 ECM 2023/ 2657

Date: 16 AUG 2023

Proceedings of the 4th Meeting of the State Level Enforcement Committee for the year 2023-24

Members Present

Sl No.	Name	Designation
1.	Dr. Shanth A. Thimmaiah, B. Tech. M.Tech. (Indl Pollution Control) & Ph.D (SE & EIS), Chairman, KSPCB.	Chairman
2.	Shri. Prabhash Chandra Ray, I.F.S, Member Secretary, KSPCB.	Member
3.	Shri. T.Mahesh, CEO 1, KSPCB, Bengaluru.	Member
4.	Shri. Vijaykumar Kadakbavi, CEO 2, KSPCB, Bengaluru.	Member
5.	Shri. P.Niranjan, CEO 3, KSPCB, Bengaluru.	Member
6.	Smt. Viji Karthikeyan, SEO, KSPCB, Waste Management Cell 1.	Member
7.	Shri. N.R. Raju, SEO, KSPCB, Infrastructure & Lake Development Section.	Member
8.	Dr. Shakuntala Bai, SEO, KSPCB, NEIA Section.	Member
9.	Shri. M.N. Yogananda, SEO, KSPCB, Waste Management Cell 2.	Member
10.	Shri. M.Sridhar, SEO, KSPCB, 17 Category & e Governance Section.	Member
11.	Shri.S.Dinesh, SEO, KSPCB, Mines & Metallurgy Section.	Member
12.	Shri Suresh.T.S., Deputy Chief Engineer, representative of KWS & DB, Bengaluru	Member
13.	Shri. Keshava Murty, Panel Chairman, KASSIA, Bengaluru.	Invitee
	Shri. V.S. Kumar, EO, KSPCB, Infrastructure & Lake Development Section.	Convener

Members Absent

- 1) Representative of Chairman, BWS & SB, Bengaluru.
- 2) Representative of Secretary to Govt. Urban Development Department, Bengaluru.

Invitee Absent

- 1) Representative of Chairman, CREDAI, Bengaluru.

I. Read & confirmed the proceedings of the Enforcement Committee Meeting held on 31st July 2023.

II. Reviewed the action taken to process the applications as per proceedings of Enforcement Committee Meeting held on 31st July 2023.

III. Enforcement Committee Meeting: - CFE Subjects

Sl No.	Agenda No.	Subject	Decision
Waste Management Cell 1			
1.	CFE:04:91	Town Municipal Council, Honnalli, 3.3 MLD STP at Sy. No. 7/P1, Malladevarakatte Village, Honnalli Taluk, Davangere District.	This is a KUWS & DB proposed STP for which CFEst had been issued on 06.12.2012. Now the proposal submitted by them is for modifying the technology of STP from existing WSP to NEBR. This is an existing proposal prior to the NGT OA No: 104 of the year 2022. Hence recommended to issue CFExp with standard conditions.



Mines & Metallurgy Section			
2.	CFE:04:92	John Mines of R. Praveen Chandra (ML No. 2294), Sy. No. 21 of Megalahalli, Sy No. 35 of Tanigehalli, Sy. No. 01 of Chowdenahalli Village, Holalkere, Chitradurga Taluk & District.	Recommended to issue CFExp with conditions to provide wheel washing system, additional soil conservation & moisture conservation measures, monitoring mechanism for fugitive emission and proper implementation of progressive mine closure plan.
3.	CFE:04:93	Minera Steel & Power Private Limited, Sy.No.114, Yerabanahalli Village, Sandur Taluk, Ballari District.	Recommended to issue CFExp for installation of 40 KLD STP with standard condition & to dispose the slag scientifically.
4.	CFE:04:94	Sandur Manganese & Iron Ores Limited, ML No. 2678 (Old No. 2580), Kammathuru, Deogiri, Subbarayanahalli & Ramgad villages, Sandur Taluk, Ballari District.	Recommended to issue CFExp with conditions to conduct socio economic survey, carryout annual air dispersion modeling for core zone & buffer zone and utilize rain water harvest for ore beneficiation towards making mine water neutral and spend at least 1% of value of annual removal on EMP.
17 Category & e Governance Section			
5.	CFE:04:95	Shimoga Health Care, Plot No.276-P, Kadechur Industrial Area, Kadechur Village, Yadgir Taluk & District.	Recommended to issue CFExp with conditions to provide captive solvent recovery plant, adequate green belt & transfer effluent to CETP through piped network.
6.	CFE:04:96	Arihant Sugars Industries Limited, Sy.No-37, Jainapur Village, Chikkodi Taluk, Belagavi-District.	Recommended to issue CFExp with conditions to use rain water harvest as source of water, manage spent wash, bagasse & leachate scientifically and install solar energy harvesting system in the parking area.
7.	CFE:04:97	Vishwaraj Sugars Ltd., Bellad Bagewadi, Hukkeri Taluk, Belagavi District.	Recommended to issue CFExp with conditions to abandon bio composting as per EC condition, meet stack emission from boilers as per statutory limits, additional 150 KLPD shall be used for production of Ethanol only, avert discharge of leachate and spent wash to Ghataprabha river, if any, conduct stack & ground water monitoring on quarterly basis and obtain EC for increase in IML bottling facility, if need be. Treatment of additional effluent generated due to increase in production of IML bottling to be ensured.
NEIA Section			
8.	CFE:04:98	Velca Racking Systems Pvt Limited, Plot No.91, Sy. No. Part 19,20&21, Aerospace & Defence Park, KIADB Indl area, Devana - halli Tq, Bengaluru Rural Dist.	Recommended to refuse the CFExp sought due to of non-compliances observed such as unscientific ETP installed, treated effluent not meeting the standard consecutively.



9.	CFE:04:99	Sabic Research & Technology Centre Pvt Ltd, Sy.No.81/1 to 5, 84/1A&B, 85/1&2, Chikkadunn sandra Village, Sarjapura Hobli, Anekal Tq, Bengaluru Urban Dist.	Recommended to issue CFExp with standard conditions.
10.	CFE:04:100	Sterling Tools Limited, Plot No. 109 & 110, KIADB Industrial Area, Vemgal, Kolar Taluk & District.	Recommended to issue CFExp with standard conditions.
11.	CFE:04:101	Vidya Herbs P Ltd, Pbt No 102-B(P) and 105B(P), Pharmaceutical SEZ, KIADB Industrial Area, Hassan.	Recommended to refuse the CFExp sought due to non-compliances observed such as nonconformance to conditions of CFE and bypass of trade effluent to streams and RSEO Mysore to inspect & report on the violations.
Infrastructure & Lake Development			
12.	CFE:04:102	Bharatiya Urban Developers Private Limited, Sy. No 53, Kogilu Village, Yelahanka Hobli, Bangalore North Taluk, Bangalore-560064.	Recommended to process the application in the file after the project proponent furnishes details sought by the Board
13.	CFE:04:103	Residential Layout by Mythreyi Infra Spaces LLP, Sy. Nos. 153/3, 159/2, 163, 164/2, 164/3 & 164/6, Mantanakurchi Village, Kasaba Hobli, Nelamangala Taluk, Bengaluru Rural District.	Recommended to process the application in the file after the project proponent furnishes details sought by the Board with respect to revised water balance, revised rain water recharge proposals, green belt development among others and submission of modified layout plan consisting of waste management yard with adequate capacity & STP location.
14.	CFE:04:104	Residential Apartment by ARS Infra, Sy No. 17/2, 17/3, 17/4, 17/5, 17/6, 20/1 and 20/4 of Sompura Village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban District.	Recommended to issue CFEst with conditions to use treated sewage only for construction, obtain KGWA NoC for abstraction of ground water, improve green belt with buffer zone, intensive plantation in consultation with local Forest Officer and include Nitrogen removal unit in the STP treatment chain.
15.	CFE:04:105	Residential Layout by Purvankara Limited, Sy. No. 86, 87/1-4, 95/1-2, 92/3-4, 92/6, 93/4, 91/2-3, 90/1-2, 92/5, 90/4, 92/6 of Rampur Village, Sy.Nos. 57/3, 45/1, 55, 57/1-2, 40/1, 46, 47, 48/9, 48/12, 48/14, 51/6A, 51/7-8, 58/2-3, 51/1-3, 51/10-16 & 48/1of Huvinane Village and Sy. No.155/2 of Kithaganur Village, and Sy.No.48/1 of Adur Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru Urban District.	Recommended to issue CFEst with conditions to provide intermediate sewage treatment system or common ST & SP as per I S standards to treat sewage during lean flow period, enumerate the existing trees, obtain KGWA NoC for abstraction of ground water and provide waste management yard with adequate capacity.



16.	CFE:04:106	Residential Layout by Riteway & Kubera Promoters, at Sy. No. 6/1, 6/2A, 6/2B, 6/2C, 6/6, 6/7, 6/13, 6/16, 6/17, 7/1, 7/3, 7/4, 7/6, 7/7, 7/8, 7/9, 7/10, 7/11, 7/12, 7/13, 7/14, 7/15, 7/16, 7/17, 7/18, 7/19, 8 & 12 of Dodderi Village, Tavarekere Hobli, Bengaluru South Taluk, Bengaluru Urban District.	Recommended to defer the subject for want of clarity on providing road in the no construction zone buffer areas. The project proponent to furnish details.
17.	CFE:04:107	Residential Layout by Sri. M.K. Ashoka, Sy.No.14,15,16,17,18/1, 18/2, 19/1, 19/2, 20/5, 20/13 & 20/15 of Mantanakurchi Village, Kasaba Hobli, Nelamangala Taluk, Bengaluru Rural District.	Recommended that project proponent to furnish details on demarcating 30 m buffer from Mantanakurchi lake considering its HFL. Application to be processed in the file thereafter.
18.	CFE:04:108	Indian Institute of Information Technology-A Higher Education Institute, Sy. No. 99, Bayi Doddi village, Gadwal main road, Raichur-584102,	Recommended to issue CFest for construction of components of Education Institute with conditions to obtain KGWA NoC for abstraction of ground water, plan RWH for the entire campus, install solar energy harvesting system in the open area, develop adequate green belt in the campus in consultation with local Forest Officer and submit plan on the above within 03 months.
19.	CFE:04:109	Residential Apartment by Signature Dwellings Private Limited, at Sy. No. 57/1 & 57/9, Chikkadasrahalli Village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban District.	Recommended to issue CFest for construction of residential apartment with conditions to obtain KGWA NoC for abstraction of ground water, improve green belt with buffer zone intensive plantation and offload excess treated sewage generated during operation phase to the nearby public parks and for such secondary uses.
20.	CFE:04:110	Mixed Use Development Project consisting of Residential Apartment blocks, Commercial blocks, School block & Hospital by Bhartiya Urban Private Limited, at Sy No. 32/1(P), 32/2(P), 32/3, 32/4, 32/8, 35, 37, 38, 39, 40, 41, 42/1, 42/2, 43/1, 43/2, 44, 45/1, 45/2, 46, 47, 48, 49 & 50 of Chokkanahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru.	Recommended to defer the subject for want of details on: clear water balance, water source, proposal on biogas installation, proposal to segregate sewage and sullage to treat them separately, storm water management plan, RWH details and justification on 7.9 MLD deficit in water supply, etc., and submission of report issued by the Competent authority on viability of the project in terms of traffic density management.
Waste Management Cell 2			
21.	CFE:04:111	S R Patil Hospital and Research Centre, Sy. No. 220/1, 220/2, 222/2, 222/2B, 222/3, 220/4 Badagandi Village, Bilagi Taluk, Bagalkot District.	Recommended to issue CFest with conditions to seek required water allotment for the Hospital.



CFO Subjects: Waste Management Cell 1			
1.	CFO:04:120	BWSSB, 150 MLD STP, K & C Valley, B. Nagasandra, Yamalur Post, Varthur Hobli, Bengaluru East Taluk, Bengaluru	CFEst was issued to the STP on 29.09.2020. The STP is installed to treat the sewage generated in portions of catchment area of Bellandur lake. The STP averts entry of untreated sewage into the said lake. As per GoK Notification No: FEE 106 EPC 2021 (ii), dated: 10.12.2021 water body buffer distance required is 30 m and as per ROs report the same varies between 30 to 65 m. The STP has been installed as per directions given by NGT in the matters related to OA No: 125 of 2017. This is an existing proposal prior to the NGT OA No: 104 of the year 2022. Hence, Committee recommended to issue CFO under Water Act and Air Act for five year period with standard conditions & ensuring adequacy of fees under the Acts.
2.	CFO:04:121	BWSSB 20 MLD STP, Sy. No. 22, 24 7 26 of Naganahalli Village, Tavarekere Hobli, Bengaluru South Taluk, Bengaluru.	CFEst was issued to the STP on 01.07.2020. The STP is installed to treat the sewage generated to the catchment area of Thippagondanahalli Reservoir. The STP averts entry of untreated sewage into the said Reservoir. As per GoK Notification No: FEE 106 EPC 2021 (ii), dated: 10.12.2021 water body buffer distance required is 30 m and as per ROs report the same varies between 35 to 45 m. This is an existing proposal prior to the NGT OA No: 104 of the year 2022. Hence, Committee recommended to issue CFO under Water Act and Air Act for five year period with conditions to install OCEMS, flow meter, diversion canal & ensuring adequacy of fees under the Acts.
Mines & Metallurgy Section			
3.	CFO:04:122	ACC Limited (Mines) ML No. 2641, Ingalgi & Ravor Villages, Wadi, Chittapur Taluk, Kalaburagi District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with conditions to provide garland canal and vehicle tyre wash system.
4.	CFO:04:123	Epsilon Carbon Private Limited, Sy.No.19, 20, 21, 22/1, 22/2, 23, 24, 26, 27, 28/1, 28/2, 29/1, 29/2, 29/3, 30/2, 31, 32/1, 32/2, 32/3, 33, 34/2, 34/3, 41, 44/1, 44/2, 45 of Musinayakanahalli Village, Sandur Tq, Ballari District.	Recommended to issue CFOxp for operation of 25 MW WHRB based captive power plant under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.



17 Category & e Governance Section			
5.	CFO:04:124	Hermes Distillery Private Limited, Sy.No-96/5A, 96/5B, 96/4C, 96/3A/2, 98/1B/3, 98/1B/4, 98/1B/5 and 98/1C, 99/2, 98/1B/1, 99/4. 99/1, 95/2, 95/3, 99/3, 2/2A, 2/2B, 1/1 & 1/6 Yadrav Village, Raibag Taluk, Belagavi District.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
6.	CFO:04:125	Gem Sugars Limited, (Distillery Division), Sy. No. 125 to 134, 325 to 328 of Kundaragi Village, Bilagi Taluk, Bagalkot District.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
7.	CFO:04:126	Shri Sai Priya Sugars Limited, Sy. No. 144 to 151 of Maigur Village, Sy. No. 238, 239 of Hipparagi Village and Sy. No. 26 & 27 of Albal Village, Jamakhandi Taluk, Bagalkot District	Recommended to issue CFOxp under Water Act & Air Act for period up to 30.06.2026 coterminous with existing CFO with condition to increase the height of 1250 KVA diesel generator to 30 m AGL, install solar energy harvesting system in the parking area and water reservoir area.
8.	CFO:04:127	Shiraguppi Sugar Works Limited, Sy. No : 23/A, 36/1A, 4A, 40/1, 40/2B, 48/2A+B, 48/1E+P+G+2A+2B, 49/1+2A/3, 49/1+2A/3, 49/2B+3A, 49/3B,49/4, 50/1,2,3,4,5, 52/1+2A/1, 53/1+2+3, 54/1A, 54/2B & 54/1B+2A, Kagawad Village, Athani Taluk, Belagavi District.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
9.	CFO:04:128	Hindako Industries Ltd, Yamanapur Village, Belagavi Taluk and District.	Recommended to extend the validity of the existing CFO from 01.07.2023 to 30.06.2026 under Water Act & Air Act with standard conditions including operation of biomass based power plant for which CFExp had been issued vide No:CTE 319016, dt: 13.07.2020.
NEIA Section			
10.	CFO:04:129	Khoday Breweries Ltd., 'BREWERY HOUSE', 7 th Mile, Kanakapura Road, Bangalre-560062.	Recommended to refuse the CFO renewal sought due to noncompliance reported
11.	CFO:04:130	Malu Wires Sy.No.247, Kadanur Village, Madhure Hobli, Doddaballapura Taluk, Bengaluru Rural District.	Recommended to refuse the CFO sought due to noncompliance reported.
12.	CFO:04:131	Godrej Tyson Food Ltd, Sy. No. 77/1, 83/2, & 84/1, Jangamankote Road, Doddahulur Village, Hoskote Taluk, Bengaluru Rural District.	Recommended to extend the validity of previous CFO issued vide No: AW 331942, dated: 28.06.2022 up to 30.06.2026 with condition to explore the possibility of offloading treated effluent for secondary urban purposes, install & operate bio filters to suppress



			odour nuisance and with a condition that the CFO will be deemed to be withdrawn in case of increase in odour nuisance.
13.	CFO:04:132	Mega Dairy - KCMUL, Sy No: 40/2, 42, 43, 44, N-Yelluvalli Panchayath, Nandi Cross, Chikkaballa pura Taluk & District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
14.	CFO:04:133	Nvent Electrical Products India Pvt Ltd, (formerly M/s. Pentair Technical Products India Pvt Ltd,) Plot No. 19-B, Bidadi Industrial Area, Phase-II, Section-I, Ramanagara Taluk and District	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions after verifying support document issued in respect of change of name.
15.	CFO:04:134	Parle Agro Pvt Ltd, Plot No.32 to 41, Adakanahalli Industrial Area, Nanjangud Taluk, Mysuru District.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2027 coterminous with existing CFO.
Waste Management Cell 2			
16.	CFO:04:135	Prakriya Hospitals (A unit of C-Square Health Care Pvt Ltd) No. 41, Katha No. 2047 & 2048, Raja Reddy Layout, Tumkur Road, Yeshwanthpura Hobli, Bengaluru North Taluk, Bengaluru	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2027 with standard conditions ensuring the adequacy of fees.
Infrastructure & Lake Development			
17.	CFO:04:136	Assetz Marq Residential Apartment by Assetz Whitefield Homes Private Limited, Sy. Nos. 159/1, 159/2, 160/1, 167/1, 167/2, 167/3, 167/4, 168, 169/1, 169/2, 169/3, 169/4 & 171, Kannamangala Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru Urban District	Recommended to issue CFO under Water Act for five year period ending on 30.06.2028 with conditions to submit performance and efficiency study report of each of the STP units within three months' time.
18.	CFO:04:137	Residential Apartment by Klassik Enterprises Private Limited in the name of Klassik Landmark, at Khatha No. 1531/34/12, 34/13, 34/11, 34/10, 34/9, Sy.No. 34/9, 34/10, 34/11, 34/12 & 34/13, Junnasandra Village, Varthur Hobli, Bengaluru East Tq, Bengaluru.	Recommended to issue CFOxp under Water Act for period up to 30.06.2024 coterminous with existing CFO with condition to submit performance and efficiency study report of each of the STP units within three months' time.
19.	CFO:04:138	Commercial Complex building CFO application filed by M/s Reliance Projects and Property Management Services Limited (Lessor: At One Projects LLP), Sy. No.39, Ibblur Village, Begur Hobli, Bengaluru South Tq, Bengaluru.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2027 with standard condition favouring AT One Projects LLP restricting key parameter as per EC dated: 20.07.2012.



20.	CFO:04:139	Residential Apartment SJR Equinox represented by Owners Welfare Association, at Sy.No. 47/8, 47/9 & 47/10, Begur Hobli, Doddathogur Village, Bengaluru	Recommended to call the applicant for personal hearing based on the outcome of which decision to dispose the CFO application to be taken.
21.	CFO:04:140	Residential Apartment & Villa by Ajmera Housing Corporation (Bengaluru) named Ajmera Infinity represented by Owners Welfare Association, at Sy No. 89, 90, 91, 100 & 156, Doddathoguru Village, Begur Hobli, Bengaluru 560 100.	Recommended to call the applicant for personal hearing based on the outcome of which decision to dispose the CFO application to be taken.
22.	CFO:04:141	Industrial and Logistics Park by Deerfield Logistics Private Limited, at Plot No.1A & 3, Jakkasandra Industrial area of Sy Nos. 16/P1, 10/B-3, 16/B-4, 16/B-5, 16/B-6, 16/B7, 15/B8, 16/B10, 127, 128, 129, 130, 131, 132, 133, 134, 140 & 143 of Jakkasandra Village, Kasaba Hobali, Malur Tq, Kolar District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2027 with condition to obtain fresh EC in case the BUA exceeds 1.5 Lakh SQM.
23.	CFO:04:142	Mixed use Development consisting of Residential Apartment cum Commercial Building by Siroya Sunshine, Sy No. 21, 1 st Main, Manorayana palya, RT Nagara, Bengaluru.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2026 with standard conditions.
24.	CFO:04:143	New Mangalore Port Authority, Panambur, Mangaluru 575 010	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2027 with standard conditions seeking clarification of new air pollution sources installed.
25.	CFO:04:144	Velankini information systems (Pvt) Limited (Hotel Division - The OTERRA-Business Hotel) Plot No. 43, 44, 46, Electronic City, Hosur Road, Bengaluru.	Recommended to call the applicant for personal hearing based on the outcome of which decision to dispose the CFO application to be taken.
26.	CFO:04:145	Aerospace Engineering & Technology by Boeing India Private Limited, Plot No. 55B, 56, 57 & 59, KIADB Hi Tech Defence and Aerospace park (Aerospace Sector), Devanahalli Village, Jala Hobli, Devanahalli Taluk, Bengaluru Rural District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
27.	CFO:04:146	Residential Apartment represented by Brigade Orchards Deodar Apartment Owners Association at Plot No. 20, Rayasandra Village, Devanahalli Taluk, Bengaluru Rural District.	Recommended to issue CFO under Water Act for five year period ending on 30.06.2026 with standard conditions.



28.	CFO:04:147	Devaraja Urs Academy of Higher Education & Research, NH-75, Tamaka, Kolar Taluk & District.	Recommended to issue CFO under Water Act for five year period ending on 30.06.2027 with standard conditions.
29.	CFO:04:148	Arliga Azure Projects Pvt Ltd, (Formerly known as RMZ Azure Projects Pvt Ltd,) Khata no. 54/732/450/1, Sy. No.48/4, Kodigehalli gate, NH-7, Bellary road, Hebbal, Bengaluru-560024	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
30.	CFO:04:149	Commercial Building by NTT Global Data Centres & Cloud Infrastructure (I) Private Limited, developed by Bearys Properties & Developments Private Limited, at Sy.No. 146, Kajisonnenahalli Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to defer the subject for want of clarity on type of application and applicability of EC.
31.	CFO:04:150	M S Ramaiah University of Applied Science (formerly MSR & Sons Investments Limited), No. 470-P, Sy. No. 46, 12 th Cross, IV Phase Peenya Industrial Area, Bengaluru.	Recommended to change the CFO application into CFExp application and issue the same with standard conditions.
Additional CFO Subject:17 Category & e Governance Section			
32.	CFO:04:151	Hikal Limited, Plot No:82 A,83-P1 & 72, KIADB Industrial Area, Jigani Hobli, Anekal Taluk, Bengaluru Urban District.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
Additional CFE Subjects:17 Category & e Governance Section			
33.	CFE:04:112	Badami Sugars Limited, (Distillery Unit), Badami - Ramadurga Road, Badami, Bagalkot District	Recommended to issue CFEst with conditions to submit copy of EC bifurcation, manage spent wash scientifically, not to abstract ground water, harvest rain water towards making the plant water neutral, install solar energy harvesting system in the parking & open spaces area and develop green belt with consultation of local Forest Officer.
34.	CFE:04:113	Badami Sugars Limited, Badami-Ramadurga Road, Badami, Bagalkot District	Recommended to issue CFExp with standard conditions to submit copy of EC bifurcation, not to abstract ground water, provide closed storage area for bagasse, harvest rain water towards making the plant water neutral, manage leachate scientifically, install solar energy harvesting system in the parking & open spaces area and develop green belt with consultation of local Forest Officer.




Note:

1. 17 Category & e Governance section to make Environment Statement Form V submission online and arrange to get Circular issued to this effect by the Member Secretary.
2. In order to expedite clearances of applications, CFExp & CFOxp applications with minor modifications shall be processed in the file subject to ratification by the ensuing meeting of the Committee. All section Heads to take note of this and process the applications accordingly to reduce pendency.
3. In order to clarify matters related to levying Environmental Compensation, CEO 1 to initiate action to form a Committee with Member Secretary as its Chairman.

Sd/-

Dr. Shanth A. Thimmaiah, M.Tech. Ph.D
Chairman


Prabhash Chandra Ray, IFS
Member Secretary


V.S. Kumar 16.08.2023
Convener

Copy to:

1. Technical Officer to Chairman, for information with request to bring it to the kind notice of the Chairman.
2. Personal Assistant to Member Secretary for information with request to bring it to the kind notice of the Member Secretary.
3. Chairman, BWS & SB, Kaveri Bhavan, Kempegowda Road, Bengaluru, for information.
4. Managing Director, KUWS & DB, No: 6, Jalabhavana, 1st Phase, BTM Layout, Bannerghatta Road, Bengaluru 560029, for information.
5. Secretary, Urban Development Department, Vikasa Soudha, Bengaluru, for information.
6. Chairman, KASSIA, No:2/106, 17th Cross, Magadi Chord Road, Vijayanagara, Bengaluru 560 040, for information.
7. Chairman, CREDAI, No: 607/608, 6th Floor, Barton Centre, No: 84, M.G. Road, Bengaluru 560001, for information.
8. Chief Environmental Officer 1, KSPCB, for information and needful
9. Chief Environmental Officer 2, KSPCB, for information and needful
10. Chief Environmental Officer 3, KSPCB, for information and needful
11. Senior Environmental Officer Infrastructure & Lake Development, for information and needful
12. Senior Environmental Officer WMC 1, for information and needful
13. Senior Environmental Officer NEIA Section, for information and needful
14. Senior Environmental Officer, SEO WMC 2, for information and needful
15. Senior Environmental Officer, 17 Category & e Governance, for information and needful
16. Senior Environmental Officer, Mines & Metallurgy Section, for information and needful
17. Senior Environmental Officer, 17 Category & e-Governance Section, for information with a request to upload the proceedings in the Board website.
18. Environmental Officer, Infrastructure & Lake Development Section & ECM Convener, for information.