

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of January - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ₃	NH ₃ µg/m ₃	O ₃ µg/m ₃	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ₃	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	92.0	18.5	19.0	23.8	27.3	51.8	1.2	0.2	92	31	24	30	7	52	60	-	92	PM ₁₀
2	KSPCB Premises, Shivamogga	124.9	19.6	6.7	13.1	12.0	45.3	0.8	0.4	117	33	8	16	3	45	40	-	117	PM ₁₀
3	KSPCB, Premises, Chikamagaluru	27.9	7.8	3.5	10.6	17.6	76.1	1.5	0.0	28	13	4	13	4	76	75	-	76	O ₃ , CO
4	KSPCB Premises, Vijayapura	110.0	59.8	3.1	8.5	2.3	162.7	0.4	0.0	107	100	4	11	1	192	20	-	192	O ₃
5	Near District Stadium, Chamrajanagar	75.7	24.3	2.0	14.2	17.8	53.9	0.2	0.2	76	41	3	18	4	54	10	-	76	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	98.8	56.8	7.9	16.5	10.6	99.3	1.1	2.5	99	95	10	21	3	99	55	-	99	PM ₁₀ , O ₃
7	Government PU college, Chikkaballapur	155.0	56.0	10.3	31.4	8.2	18.6	0.6	0.3	137	93	13	39	2	19	30	-	137	PM ₁₀
8	KSPCB Regional Office-Ramanagar	97.0	52.0	12.8	11.5	9.7	32.5	0.5	3.0	97	87	16	14	2	33	25	-	97	PM ₁₀
9	KSPCB Premises, Bidar	108.5	55.1	1.7	7.8	10.5	28.2	0.8	NA	106	92	2	10	3	28	40	-	106	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout, Davanagere.	117.3	39.2	3.8	19.1	11.7	65.8	0.5	0.4	112	65	5	24	3	66	25	-	112	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	86.6	42.8	7.2	13.7	6.9	93.4	NA	0.3	87	71	9	17	2	93	0	-	93	O ₃
12	Corporation Garden Opposite, Hubballi	112.5	55.1	7.7	28.7	7.2	41.5	0.8	NA	108	92	10	36	2	42	40	-	108	PM ₁₀
13	KSPCB Premises, Hassan	93.4	33.3	2.5	11.6	9.5	13.6	0.6	0.2	93	56	3	15	2	14	30	-	93	PM ₁₀
14	KSPCB Premises, Haveri	113.1	51.9	5.0	14.1	4.0	48.9	NA	0.1	109	87	6	18	1	49	0	-	109	PM ₁₀
15	KSPCB Premises, Karwar	89.3	45.6	19.6	25.6	1.0	3.9	0.6	0.2	89	76	25	32	0	4	30	-	89	PM ₁₀
16	GOVT. ITI College, Kalaburgi	168.6	82.1	10.1	31.3	13.4	40.4	1.0	NA	146	174	13	39	3	40	50	-	174	PM _{2.5}
17	KSPCB Premises, Kolar	67.6	41.9	2.0	12.5	5.8	17.1	1.2	0.1	68	70	3	16	1	17	60	-	70	PM _{2.5}

18	DC Office Compound, Koppal	123.1	55.6	2.6	21.1	22.4	37.4	1.0	0.2	115	93	3	26	6	37	50	-	115	PM ₁₀
19	Vasanth Vihar, Mangalore	99.4	50.9	13.0	21.6	12.2	85.7	1.5	1.2	99	85	16	27	3	86	75	-	99	PM ₁₀
20	DC Office compound, Raichur	155.0	63.8	2.3	3.1	10.0	79.4	0.4	0.3	137	113	3	4	3	79	20	-	137	PM ₁₀
21	Board High School compound, Udupi	74.1	64.1	13.3	8.9	2.3	38.7	1.8	0.1	74	114	17	11	1	39	90	-	114	PM _{2.5}
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of February - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	µg/m ³	µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	63.4	16.1	13.0	18.5	18.9	51.5	0.9	0.2	63	27	16	23	5	52	45	-	63	PM ₁₀
2	KSPCB Premises, Shivamogga	70.6	14.5	6.6	38.3	30.1	48.1	0.6	0.5	71	24	8	38	8	48	30	-	71	PM ₁₀
3	KSPCB, Premises, Chikamagaluru	38.7	11.6	3.5	13.5	10.7	75.3	1.5	0.0	39	19	4	17	3	75	75	-	75	O ₃ , CO
4	KSPCB Premises, Vijayapura	65.0	36.6	5.3	6.8	2.6	66.6	0.3	0.0	65	61	7	9	1	67	15	-	67	O ₃
5	Near District Stadium, Chamrajanagar	73.3	25.3	2.0	12.3	15.1	48.9	0.2	0.2	73	42	3	15	4	49	10	-	73	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	96.9	46.4	9.2	24.6	13.5	101.2	1.1	2.6	97	77	8	31	3	102	55	-	102	O ₃
7	Government PU college, Chikkaballapur	88.0	40.0	9.9	15.0	15.7	19.3	0.6	0.2	88	67	12	19	4	19	30	-	88	PM ₁₀
8	KSPCB Regional Office-Ramanagar	79.0	39.0	21.3	20.3	8.7	36.6	0.5	0.2	79	65	27	25	2	37	25	-	79	PM ₁₀
9	KSPCB Premises, Bidar	101.2	43.9	0.9	7.2	12.3	23.7	0.5	NA	101	73	1	9	3	24	25	-	101	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout,	108.4	30.7	8.6	16.7	13.6	56.4	0.5	0.2	106	51	11	21	3	56	25	-	106	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	85.6	33.8	6.4	13.3	6.4	82.7	NA	0.3	85	56	8	17	2	83	0	-	86	PM ₁₀
12	Corporation Garden Opposite, Hubballi	114.5	47.6	17.9	30.7	7.6	31.5	0.8	NA	110	79	22	38	2	32	40	-	110	PM ₁₀
13	KSPCB Premises, Hassan	95.3	38.9	2.9	13.3	9.5	13.1	0.7	0.2	95	65	4	17	2	13	35	-	95	PM ₁₀
14	KSPCB Premises, Haveri	99.3	36.7	3.5	10.1	7.0	38.1	NA	0.0	99	61	4	13	2	38	0	-	99	PM ₁₀
15	KSPCB Premises, Karwar	83.7	32.6	24.8	14.8	2.2	4.0	0.4	0.1	84	54	31	19	1	4	20	-	84	PM ₁₀
16	GOVT. ITI College, Kalaburgi	136.6	57.6	7.8	16.9	13.0	57.9	1.1	NA	124	96	10	21	3	58	55	-	124	PM ₁₀
17	KSPCB Premises, Kolar	55.3	42.6	5.0	21.9	8.4	15.1	1.5	0.2	55	71	6	27	2	15	75	-	75	CO

18	DC Office Compound, Koppal	112.6	36.6	2.9	17.5	23.1	39.3	1.0	0.1	108	61	4	22	6	39	50	-	108	PM ₁₀
19	Vasanth Vihar, Mangalore	92.8	43.3	15.0	12.1	9.3	8.2	1.5	0.9	93	72	19	15	2	8	75	-	93	PM ₁₀
20	DC Office compound, Raichur	136.6	37.2	2.6	4.1	11.0	55.1	0.2	0.2	124	62	3	5	3	55	10	-	124	PM ₁₀
21	Board High School compound, Udupi	70.6	46.6	43.3	5.1	2.8	28.5	1.7	0.1	71	78	54	6	1	29	85	-	85	CO
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continuous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of March - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ₃	NO ₂ µg/m ₃	NH ₃ µg/m ₃	O ₃ µg/m ₃	CO mg/m ₃	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ₃	NO ₂ µg/m ₃	NH ₃ µg/m ³	O ₃ µg/m ₃	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises, Mysuru	76.0	14.4	15.0	15.8	15.2	57.9	0.8	0.2	76	24	19	20	4	58	40	-	76	PM ₁₀
2	KSPCB Premises, Shivamogga	50.6	12.6	3.2	52.0	41.9	59.7	0.4	0.5	51	21	4	65	10	60	20	-	65	NO ₂
3	KSPCB, Premises, Chikamagaluru	22.9	7.1	3.0	12.3	9.4	87.6	1.5	0.0	23	12	4	15	2	88	75	-	88	O ₃
4	KSPCB Premises, Vijayapura	67.7	40.0	5.0	6.6	3.3	76.6	0.3	0.0	68	67	6	8	1	77	15	-	77	O ₃
5	Near District Stadium, Chamrajanagar	78.0	22.3	2.0	5.1	2.2	60.5	0.2	0.2	78	37	3	6	1	61	10	-	78	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	97.8	44.5	9.7	5.2	4.0	65.4	0.9	1.9	98	74	12	7	1	65	45	-	98	PM ₁₀
7	Government PU college, Chikkaballapur	104.0	41.0	10.4	23.8	19.5	20.5	0.7	0.2	103	68	13	30	5	21	35	-	103	PM ₁₀
8	KSPCB Regional Office-Ramanagar	87.0	35.0	27.4	19.6	9.0	47.0	0.5	0.0	87	58	34	25	2	47	25	-	87	PM ₁₀
9	KSPCB Premises, Bidar	111.8	42.4	0.6	11.6	16.9	26.7	0.5	NA	108	71	1	15	4	27	25	-	108	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout, Davanagere.	123.1	35.5	3.1	15.3	14.1	51.8	0.5	0.2	115	59	4	19	4	52	25	-	115	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	108.0	38.0	5.4	14.3	9.0	85.1	NA	0.3	105	63	7	18	2	85	0	-	105	PM ₁₀
12	Corporation Garden Opposite, Hubballi	126.7	49.5	17.7	25.1	7.9	39.4	0.9	NA	118	83	22	31	2	39	45	-	118	PM ₁₀
13	KSPCB Premises, Hassan	115.1	34.7	2.1	15.9	7.2	11.9	0.9	0.2	110	58	3	20	2	12	45	-	110	PM ₁₀
14	KSPCB Premises, Haveri	99.7	35.2	4.0	7.7	13.2	40.3	NA	0.0	100	59	5	10	3	40	0	-	100	PM ₁₀
15	KSPCB Premises, Karwar	89.2	32.5	26.9	12.2	10.1	3.9	0.3	NA	89	54	34	15	15	4	3	-	89	PM ₁₀
16	GOVT. ITI College, Kalaburgi	154.1	69.6	6.4	15.6	11.5	60.6	1.4	NA	136	132	8	20	3	61	17	-	136	PM ₁₀
17	KSPCB Premises, Kolar	79.4	41.5	8.7	19.0	9.2	6.8	1.7	0.2	79	69	11	24	2	7	85	-	85	CO

18	DC Office Compound, Koppal	110.5	34.5	4.5	14.4	37.6	53.0	0.9	0.1	107	58	6	18	9	53	45	-	107	PM ₁₀
19	Vasanth Vihar, Mangalore	91.8	37.6	18.1	7.9	7.7	4.8	1.3	0.6	92	38	18	8	2	5	65	-	92	PM ₁₀
20	DC Office compound, Raichur	140.3	47.4	2.0	2.7	9.8	27.0	0.5	0.1	92	38	18	8	2	27	25	-	92	PM ₁₀
21	Board High School compound, Udupi	75.4	36.0	63.3	4.7	12.8	10.8	1.5	0.1	92	38	18	8	3	11	75	-	92	PM ₁₀
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of April - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	59.1	16.2	11.3	14.1	13.0	53.4	0.7	0.2	92	38	18	8	3	53	35	-	92	PM ₁₀
2	KSPCB Premises, Shivamogga	31.9	8.5	1.1	51.6	46.3	52.9	0.3	0.4	32	14	1	65	12	53	15	-	65	NO ₂
3	KSPCB, Premises, Chikamagaluru	16.6	5.0	2.9	12.7	8.4	74.1	1.4	0.0	17	8	4	16	2	74	70	-	74	O ₃
4	KSPCB Premises, Vijayapura	55.9	33.4	1.8	7.8	3.7	74.3	0.3	0.0	56	56	2	10	1	74	15	-	74	O ₃
5	Near District Stadium, Chamrajanagar	61.1	19.4	2.2	11.5	15.8	57.9	0.3	0.0	61	32	3	14	4	58	15	-	61	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	72.5	33.4	5.8	11.3	12.2	62.1	0.9	1.2	72	56	7	14	3	62	45	-	72	PM ₁₀
7	Government PU college, Chikkaballapur	85.0	35.0	11.9	25.1	22.9	20.9	0.7	0.1	85	58	15	31	6	21	35	-	85	PM ₁₀
8	KSPCB Regional Office-Ramanagar	65.0	29.0	25.2	16.8	10.5	44.9	0.5	0.0	65	48	32	21	3	45	25	-	65	PM ₁₀
9	KSPCB Premises, Bidar	80.0	31.8	0.7	10.2	22.3	28.4	0.5	NA	80	53	1	13	6	28	25	-	80	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout, Davanagere.	88.7	26.1	3.3	10.0	9.3	50.4	1.1	0.3	89	44	4	13	2	50	55	-	89	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	66.7	27.5	4.2	10.3	9.0	83.1	NA	0.2	67	46	5	13	2	83	0	-	83	O ₃
12	Corporation Garden Opposite, Hubballi	85.4	34.6	23.4	18.7	13.7	34.5	0.4	NA	85	58	29	23	3	35	20	-	85	PM ₁₀
13	KSPCB Premises, Hassan	93.1	39.8	1.9	15.8	8.2	7.0	0.7	2.2	93	66	2	20	2	7	35	-	93	PM ₁₀
14	KSPCB Premises, Haveri	66.1	25.8	15.0	14.2	18.5	6.7	NA	0.0	66	43	19	18	5	7	0	-	66	PM ₁₀
15	KSPCB Premises, Karwar	50.8	22.9	21.9	11.8	7.4	4.0	0.3	0.1	51	38	27	15	2	4	15	-	51	PM ₁₀
16	GOVT. ITI College, Kalaburgi	108.1	45.3	6.2	16.1	11.7	54.6	1.3	NA	105	76	8	20	3	55	65	-	105	PM ₁₀
17	KSPCB Premises, Kolar	80.4	41.6	7.5	18.9	19.2	15.5	1.5	0.2	80	69	9	24	5	16	75	-	80	PM ₁₀

18	DC Office Compound, Koppal	79.4	23.8	20.4	10.0	84.3	32.8	0.3	10.0	79	40	26	13	21	33	15	-	79	PM ₁₀
19	Vasanth Vihar, Mangalore	70.8	24.8	20.4	6.4	11.1	4.9	1.3	0.4	71	41	26	8	3	5	65	-	71	PM ₁₀
20	DC Office compound, Raichur	136.6	35.8	1.9	1.3	18.3	4.6	0.6	0.1	124	0	2	2	5	5	30	-	124	PM ₁₀
21	Board High School compound, Udupi	53.6	27.6	39.2	5.0	11.3	21.7	1.5	0.0	54	46	49	6	3	22	75	-	75	CO
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of May - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	48.5	11.8	5.7	12.8	12.1	36.4	0.7	0.0	49	20	7	16	3	36	35	-	49	PM ₁₀
2	KSPCB Premises, Shivamogga	31.3	8.3	5.2	20.8	14.4	54.3	0.3	0.5	31	14	7	26	4	54	15	-	54	O ₃
3	KSPCB, Premises, Chikamagaluru	17.5	5.0	4.1	12.3	9.8	55.7	1.3	0.0	18	8	5	15	2	56	65	-	65	CO
4	KSPCB Premises, Vijayapura	86.6	55.6	1.0	6.6	2.4	67.5	0.3	0.0	87	93	1	8	1	68	15	-	93	PM _{2.5}
5	Near District Stadium, Chamrajanagar	63.0	22.3	2.4	10.6	14.0	52.4	0.4	0.0	63	37	3	13	4	52	20	-	63	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	61.0	32.6	4.2	10.0	11.3	62.7	1.1	0.6	61	54	5	13	3	63	55	-	63	O ₃
7	Government PU college, Chikkaballapur	107.0	34.0	10.5	27.6	21.1	19.6	0.7	0.1	105	57	13	35	5	20	35	-	105	PM ₁₀
8	KSPCB Regional Office-Ramanagar	58.0	24.0	24.4	13.8	11.4	40.2	0.4	0.0	58	40	31	17	3	40	20	-	58	PM ₁₀
9	KSPCB Premises, Bidar	104.2	33.5	3.2	11.9	27.3	23.5	0.6	NA	103	56	4	15	7	24	30	-	103	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout, Davanagere.	83.6	23.5	7.3	6.8	5.2	7.6	0.7	0.1	84	39	9	9	1	8	35	-	84	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	77.0	24.2	4.5	7.6	6.9	59.3	NA	0.3	77	40	6	10	2	59	0	-	77	PM ₁₀
12	Corporation Garden Opposite, Hubballi	88.7	30.7	19.7	11.9	5.5	27.3	0.7	NA	89	51	25	15	1	27	35	-	89	PM ₁₀
13	KSPCB Premises, Hassan	83.4	30.2	2.3	13.2	7.2	5.5	0.6	0.2	83	50	3	17	2	6	30	-	83	PM ₁₀
14	KSPCB Premises, Haveri	70.7	31.5	15.0	13.4	4.4	2.4	NA	0.0	71	53	19	17	1	1	0	-	71	PM ₁₀
15	KSPCB Premises, Karwar	66.5	23.6	18.5	29.1	6.3	10.5	0.2	0.1	67	39	23	36	2	11	10	-	67	PM ₁₀
16	GOVT. ITI College, Kalaburgi	126.8	38.4	13.9	17.5	9.2	37.4	1.5	NA	118	64	17	22	2	37	75	-	118	PM ₁₀
17	KSPCB Premises, Kolar	52.3	22.3	11.6	20.5	13.0	32.5	1.0	0.1	52	37	15	26	3	33	50	-	52	PM ₁₀

18	DC Office Compound, Koppal	79.9	25.5	25.3	11.3	38.0	25.2	0.4	0.2	80	43	32	14	10	25	20	-	80	PM ₁₀
19	Vasanth Vihar, Mangalore	72.9	22.5	22.8	6.1	14.1	3.9	1.2	0.4	73	38	29	8	4	4	60	-	73	PM ₁₀
20	DC Office compound, Raichur	130.3	35.9	5.6	2.0	23.1	4.7	0.5	0.0	120	60	7	3	6	5	25	-	120	PM ₁₀
21	Board High School compound, Udupi	54.6	24.2	31.9	10.9	5.6	8.4	1.4	0.0	55	40	40	14	1	8	70	-	70	CO
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of June - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ₃	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ₃	NO ₂ µg/m ₃	NH ₃ µg/m ³	O ₃ µg/m ₃	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	30.4	6.7	4.5	9.9	9.1	23.4	0.6	0.0	30	11	6	12	2	23	30	-	30	PM ₁₀ , CO
2	KSPCB Premises, Shivamogga	17.8	4.1	1.0	29.8	23.2	40.9	0.4	0.5	18	7	1	37	6	41	20	-	41	O ₃
3	KSPCB, Premises, Chikamagaluru	25.3	7.2	2.8	11.1	9.1	44.3	1.3	0.0	25	12	4	14	2	44	65	-	65	CO
4	KSPCB Premises, Vijayapura	19.7	12.3	3.4	5.8	2.1	89.8	0.8	0.0	20	21	4	7	1	90	40	-	90	O ₃
5	Near District Stadium, Chamrajanagar	40.5	21.6	2.0	3.2	3.0	28.5	0.4	0.0	41	36	3	4	1	29	20	-	41	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	39.4	15.6	2.4	5.4	6.5	70.4	1.1	0.6	30	26	3	7	2	70	55	-	70	O ₃
7	Government PU college, Chikkaballapur	60.0	16.0	10.8	19.9	16.2	12.2	0.7	0.1	60	27	14	15	4	12	35	-	60	PM ₁₀
8	KSPCB Regional Office-Ramanagar	37.0	14.0	20.7	11.0	7.2	24.8	0.3	0.0	37	23	26	14	2	25	15	-	37	PM ₁₀
9	KSPCB Premises, Bidar	49.6	18.4	24.9	7.7	7.5	23.2	0.4	NA	50	31	31	10	2	23	20	-	50	PM ₁₀
10	Central Excise & Customs Office Devaraj URS layout, Davanagere.	42.0	10.7	1.9	3.9	1.6	1.0	0.4	0.2	42	18	2	5	0	1	20	-	42	PM ₁₀
11	Mundaragi Road, Near Chirayu Hospital, Gadag	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12	Corporation Garden Opposite, Hubballi	21.5	6.1	21.5	15.0	3.9	15.8	0.3	NA	22	10	27	19	1	16	15	-	27	SO ₂
13	KSPCB Premises, Hassan	83.2	22.1	41.7	13.8	7.9	5.6	0.5	0.1	83	37	52	17	2	6	25	-	83	PM ₁₀
14	KSPCB Premises, Haveri	33.6	9.9	24.4	18.3	5.1	1.4	NA	0.0	34	17	31	23	1	1	0	-	34	PM ₁₀
15	KSPCB Premises, Karwar	34.3	31.7	14.8	7.8	4.6	12.2	0.1	0.1	34	53	19	1	1	12	5	-	53	PM _{2.5}
16	GOVT. ITI College, Kalaburgi	56.3	21.5	6.9	11.3	11.1	38.5	0.1	NA	56	36	9	14	3	39	5	-	56	PM ₁₀

17	KSPCB Premises, Kolar	35.2	NA	16.0	20.2	4.8	6.7	1.0	0.1	35	0	20	25	2	17	15	_	35	PM ₁₀
18	DC Office Compound, Koppal	35.3	7.5	9.9	6.4	7.1	17.3	0.3	0.0	35	13	12	8	2	17	15	_	35	PM ₁₀
19	Vasanth Vihar, Mangalore	36.9	11.6	24.5	4.0	13.3	4.2	1.2	0.4	37	19	31	5	3	4	60	_	60	CO
20	DC Office compound, Raichur	56.2	18.3	10.2	3.5	20.9	4.7	0.3	NA	56	31	13	4	5	5	15	_	56	PM ₁₀
21	Board High School compound, Udupi	85.9	24.4	11.7	15.8	2.3	5.9	1.4	0.0	86	41	15	20	1	6	70	_	86	PM ₁₀
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases