

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of July- 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	35.2	15.1	4.4	14.3	18.0	18.5	0.5	1.3	35	25	6	18	5	19	25	-	35	PM ₁₀
2	KSPCB Premises, Shivamogga	38.9	12.9	3.2	27.5	26.3	27.6	0.4	0.3	39.0	22.0	4.0	34.0	7.0	34.0	20.0	-	39	PM ₁₀
3	KSPCB, Premises, Chikamagaluru	29.0	13.8	4.2	25.2	4.2	20.3	1.0	0.0	29.0	23.0	5.0	32.0	1.0	20.0	50.0	-	32	NO ₂
4	KSPCB Premises, Vijayapura	42.0	23.0	4.0	15.0	11.0	39.0	1.2	0.0	42.0	38.0	5.0	19.0	3.0	39.0	60.0	-	60	CO
5	Near District Stadium, Chamrajanagar	29.7	10.1	2.9	10.4	21.7	44.0	0.3	0.5	30.0	17.0	4.0	13.0	5.0	44.0	15.0	-	44	O ₃
6	Basaveshwar Engineering College, Bagalkote	32.8	11.2	2.4	7.3	8.2	44.6	1.1	0.0	33.0	19.0	3.0	9.0	2.0	45.0	55.0	-	55	CO
7	Government PU college, Chikkaballapur	45	12	13	10	8	8	1	0	45	20	16	12	2	7	37	-	45	PM10
8	DC Office Premises, Yadagiri	39	19	12	2	0	43	0	0	39	32	16	3	0	43	14	-	39	PM10
9	KSPCB Regional Office-Ramanagar	32	11	17	10	7	17	0	0	32	18	21	12	2	17	11	-	32	PM10
10	Mundaragi Road, Near Chirayu Hospital, Gadag	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Corporation Garden Opposite, Hubballi	52.1	16.0	22.2	12.9	3.7	10.6	0.3	-	52.1	27.0	28.0	16.0	1.0	11.0	15.0	-	52	PM ₁₀
12	GOVT. ITI College, Kalaburgi	52.4	12.1	1.7	7.6	4.6	15.1	0.2	-	49.5	20.3	2.1	9.6	1.1	15.2	10.8	-	49	PM ₁₀
13	KSPCB Premises, Bidar	41.4	15.8	-8.3	5.4	4.2	-	0.2	-	41.0	25.9	0.7	6.7	1.1	-	10.6	-	41	PM ₁₀
14	KSPCB Premises, Hassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	KSPCB Premises, Kolar	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	DC Office Compound, Koppal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Vasanth Vihar, Mangalore	27.9	8.6	26.0	3.6	14.8	2.4	1.2	0.3	28.2	14.3	32.4	4.4	-	-	55.2	-	55	CO

18	DC Office compound, Raichur	48.9	13.6	9.5	0.6	20.3	4.8	0.4	_	48.2	23.3	11.6	0.7	5.0	4.9	23.3	_	48	PM ₁₀
19	Board High School compound, Udupi	39.9	28.7	11.7	7.9	-1.2	6.4	1.3	0.0	24.4	19.4	14.3	9.9	0.2	6.4	58.7	_	59	CO
20	KSPCB Premises, Haveri	18.7	5.8	24.9	0.6	0.8	3.0	0.3	0.0	19.0	10.0	31.4	0.7	0.2	3.0	15.8	_	31	SO ₂
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	26.6	4.9	1.6	2.5	1.1	0.6	0.3	0.1	26.5	8.1	2.0	3.1	0.3	0.6	15.3	_	27	PM ₁₀
22	KSPCB Premises, Karwar	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

16	DC Office Compound, Koppal	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
17	Vasanth Vihar, Mangalore	22.1	6.1	21.5	2.6	13.8	0.8	1.0	0.3	22	10	28	3	_	_	47	_	47	CO
18	DC Office compound, Raichur	39.8	12.2	8.0	3.2	15.2	4.4	0.2	_	40	20	10	4	4	4	12	_	40	PM ₁₀
19	Board High School compound, Udupi	97.8	66.1	16.5	14.8	4.4	4.8	1.9	_	39	48	21	20	1	5	90	_	90	CO
20	KSPCB Premises, Haveri	24.9	7.2	8.6	-1.7	38.6	8.8	3.1	_	26	13	10	0	10	8	114	_	114	CO
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	22.0	2.4	8.4	3.0	5.4	18.5	0.3	0.1	21	5	10	4	1	18	16	_	21	PM ₁₀
22	KSPCB Premises, Karwar	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of September- 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	35.5	15.8	4.0	13.4	17.8	15.6	0.4	0.0	36	26	5	17	4	16	20	NA	36	PM ₁₀
2	KSPCB Premises, Shivamogga	15.9	13.3	2.1	17.7	13.2	25.0	0.4	2.1	16	22	3	22	3	25	20	NA	25	O ₃
3	KSPCB, Premises, Chikamagaluru	10.0	6.7	4.3	9.2	5.2	27.4	0.6	0.0	10	11	5	12	1	27	30	NA	30	CO
4	KSPCB Premises, Vijayapura	44.0	30.0	4.0	7.0	3.0	37.0	1.2	0.0	44	50	5	9	1	37	60	NA	60	CO
5	Near District Stadium, Chamrajanagar	26.0	6.6	2.5	2.3	8.3	14.9	0.3	0.0	26	11	3	3	2	15	15	NA	26	PM ₁₀
6	Basaveshwar Engineering College, Bagalkote	53.0	9.8	2.5	7.7	8.8	6.1	1.1	0.0	53	16	3	10	0	6	55	NA	55	CO
7	Government PU college, Chikkaballapur	35.0	13.0	12.6	17.9	3.3	7.5	0.7	0.1	35	22	16	22	1	8	37	NA	37	CO
8	DC Office Premises, Yadagiri	34.0	16.0	14.7	3.6	1.1	31.1	0.5	0.0	34	27	18	5	0	31	26	NA	34	PM ₁₀
9	KSPCB Regional Office-Ramanagar	35.0	14.0	13.2	8.2	5.0	16.5	0.3	0.0	35	23	17	10	1	17	17	NA	35	PM ₁₀
10	Mundaragi Road, Near Chirayu Hospital, Gadag	75.8	42.0	8.5	3.2	7.8	21.7	0.1	0.1	52	54	11	4	2	22	7	NA	54	PM _{2.5}
11	Corporation Garden Opposite, Hubballi	81.9	14.8	25.9	11.3	9.8	11.7	0.3	NA	81	25	32	14	2	12	14	NA	81	PM ₁₀
12	GOVT. ITI College, Kalaburgi	28.7	13.0	6.0	13.1	6.2	11.5	0.4	NA	29	21	8	16	2	11	22	NA	29	PM ₁₀
13	KSPCB Premises, Bidar	31.0	13.5	3.2	6.5	1.8		0.5	NA	31	23	4	8	0	NA	27	NA	31	PM ₁₀
14	KSPCB Premises, Hassan	38.3	9.6	5.1	17.7	18.7	5.5	1.9	0.3	39	16	7	22	5	5	94	NA	94	CO
15	KSPCB Premises, Kolar	18.7	NA	27.0	11.6	10.6	6.5	0.2	0.4	17	NA	34	14	3	7	7	NA	34	SO ₂
16	DC Office Compound, Koppal	19.9	4.0	9.9	7.0	1.7	9.5	0.3	0.1	20	7	12	9	0	9	15	NA	20	PM ₁₀

17	Vasanth Vihar, Mangalore	29.5	6.6	4.3	1.5	8.7	1.5	0.3	0.4	30	11	5	2	NA	NA	16	NA	30	PM ₁₀
18	DC Office compound, Raichur	40.7	13.9	7.5	12.5	3.8	5.0	0.5	NA	40	23	9	16	1	5	24	NA	40	PM ₁₀
19	Board High School compound, Udupi	23.6	35.7	12.3	15.0	6.4	4.9	2.3	NA	24	36	16	19	2	5	95	NA	95	CO
20	KSPCB Premises, Haveri	21.4	7.3	6.0	3.0	27.1	10.9	2.4	NA	21	12	7	4	7	11	95	NA	95	CO
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	31.0	5.7	31.3	4.2	3.5	27.4	0.4	0.1	30	9	47	5	1	27	21	NA	47	SO ₂
22	KSPCB Premises, Karwar	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of October - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	42.0	19.0	4.0	16.0	20.0	27.0	1.0	1.0	42	32	5	20	5	27	50	NA	50	CO
2	KSPCB Premises, Shivamogga	31.0	14.0	3.0	15.0	14.0	31.0	0.7	2.0	31	23	4	19	4	35	35	NA	35	O ₃
3	KSPCB, Premises, Chikamagaluru	23.0	14.0	6.0	13.0	5.0	42.0	0.8	0.0	23	23	8	16	1	42	42	NA	42	O ₃
4	KSPCB Premises, Vijayapura	34.0	24.0	4.0	16.0	7.0	64.0	1.3	0.0	34	40	5	20	2	64	65	NA	65	CO
5	Near District Stadium, Chamrajanagar	32.0	19.0	2.0	10.0	27.0	28.0	0.8	0.0	32	32	3	13	7	28	40	NA	40	CO
6	Basaveshwar Engineering College, Bagalkote	48.0	14.0	3.0	9.0	10.0	23.0	1.4	0.0	48	23	4	11	2	23	70	NA	70	CO
7	Government PU college, Chikkaballapur	32.0	16.0	13.5	10.1	4.2	17.5	0.6	0.1	32	27	17	13	1	18	29	NA	32	PM ₁₀
8	DC Office Premises, Yadagiri	35.0	21.0	15.0	6.1	2.5	42.9	0.4	0.1	35	35	20	8	1	43	22	NA	43	O ₃
9	KSPCB Regional Office-Ramanagar	36.0	18.0	20.0	9.8	5.4	23.7	0.4	0.0	36	30	25	12	1	24	20	NA	36	PM ₁₀
10	Mundaragi Road, Near Chirayu Hospital, Gadag	19.6	8.1	10.7	8.9	9.1	33.8	0.2	NA	20	14	13	11	2	34	10	NA	34	O ₃
11	Corporation Garden Opposite, Hubballi	71.6	12.2	29.2	22.4	6.0	3.6	0.4	NA	72	20	37	28	2	4	20	NA	72	PM ₁₀
12	GOVT. ITI College, Kalaburgi	52.9	25.4	6.5	29.5	7.4	15.3	0.8	NA	53	42	8	37	2	15	40	NA	53	PM ₁₀
13	KSPCB Premises, Bidar	40.8	19.0	2.7	9.2	3.9	0.3	0.6	NA	41	32	3	12	1	0	30	NA	41	PM ₁₀
14	KSPCB Premises, Hassan	29.9	9.0	4.8	17.4	14.3	5.5	2.2	NA	30	15	6	22	4	6	103	NA	103	CO
15	KSPCB Premises, Kolar	24.3	0.0	17.3	12.4	7.6	6.6	0.1	NA	24	0	22	16	2	7	5	NA	24	PM ₁₀
16	DC Office Compound, Koppal	35.8	10.0	9.1	9.0	7.8	7.9	1.2	NA	36	17	11	11	2	8	60	NA	60	CO

17	Vasanth Vihar, Mangalore	0.0	6.7	5.1	3.2	11.2	1.4	0.3	NA	0	11	6	4	3	1	15	NA	15	CO
18	DC Office compound, Raichur	46.4	18.1	9.0	11.9	3.6	5.0	0.6	NA	46	30	11	15	1	5	30	NA	46	PM ₁₀
19	Board High School compound, Udupi	93.3	30.7	3.4	22.7	6.7	4.8	2.3	NA	93	51	4	28	2	5	104	NA	104	CO
20	KSPCB Premises, Haveri	23.2	11.2	8.6	4.4	22.2	12.9	0.7	NA	23	19	11	6	6	13	35	NA	35	CO
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	29.2	4.6	65.5	5.6	3.6	27.2	0.5	NA	29	8	82	7	1	27	25	NA	82	SO ₂
22	KSPCB Premises, Karwar	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of November - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	66.0	33.0	5.0	7.0	12.0	28.0	0.9	3.0	66	55	6	9	3	28	45	NA	66	PM ₁₀
2	KSPCB Premises, Shivamogga	71.0	29.0	6.0	7.0	8.0	38.0	1.2	2.0	71	48	8	9	2	60	38	NA	71	PM ₁₀
3	KSPCB, Premises, Chikamagaluru	45.0	31.0	6.0	13.0	5.0	59.0	0.9	0.0	45	52	8	16	1	59	45	NA	59	O ₃
4	KSPCB Premises, Vijayapura	73.0	47.0	3.0	10.0	3.0	NA	1.1	0.0	73	78	4	13	1	NA	55	NA	78	PM _{2.5}
5	Near District Stadium, Chamrajanagar	36.0	21.0	2.0	12.0	20.0	31.0	0.9	0.0	36	35	3	15	5	31	45	NA	45	CO
6	Basaveshwar Engineering College, Bagalkote	79.0	34.0	4.0	15.0	17.0	35.0	0.8	0.0	79	57	5	19	4	35	40	NA	79	PM ₁₀
7	Government PU college, Chikkaballapur	74.0	41.0	11.9	10.0	5.0	36.8	0.6	0.3	74	68	15	13	1	37	31	NA	74	PM ₁₀
8	DC Office Premises, Yadagiri	75.0	49.0	17.3	11.9	4.2	53.4	0.6	0.2	75	82	22	15	1	53	28	NA	82	PM _{2.5}
9	KSPCB Regional Office-Ramanagar	63.0	31.0	29.1	22.4	5.9	19.6	0.4	0.1	63	52	36	28	1	20	21	NA	63	PM ₁₀
10	Mundaragi Road, Near Chirayu Hospital, Gadag	57.9	27.4	13.2	10.1	4.6	11.7	0.6	NA	58	46	17	13	1	12	30	NA	58	PM ₁₀
11	Corporation Garden Opposite, Hubballi	113.0	37.2	24.6	24.5	13.1	0.9	0.4	NA	109	62	31	31	3	1	20	NA	109	PM ₁₀
12	GOVT. ITI College, Kalaburgi	108.9	80.4	11.3	44.2	10.2	19.1	1.1	NA	106	168	14	55	3	19	55	NA	168	PM _{2.5}
13	KSPCB Premises, Bidar	97.4	36.1	2.9	10.2	3.2	0.0	0.5	NA	97	60	4	13	1	0	25	NA	97	PM ₁₀
14	KSPCB Premises, Hassan	47.6	20.5	4.1	13.1	14.1	5.4	1.5	NA	48	34	5	16	4	5	75	NA	75	CO
15	KSPCB Premises, Kolar	56.5	0.0	18.4	18.2	11.5	6.5	0.1	NA	57	0	23	23	3	7	5	NA	57	PM ₁₀
16	DC Office Compound, Koppal	87.1	34.2	12.0	14.1	8.9	9.9	0.6	NA	87	57	15	18	2	10	30	NA	87	PM ₁₀

17	Vasanth Vihar, Mangalore	0.0	24.2	6.4	5.3	12.3	1.6	0.8	NA	0	40	8	7	3	2	40	NA	40	CO
18	DC Office compound, Raichur	98.3	43.3	10.1	15.8	3.1	5.4	0.7	NA	98	72	13	20	1	5	35	NA	98	PM ₁₀
19	Board High School compound, Udupi	39.6	134.4	4.4	17.5	8.5	5.2	0.3	NA	40	311	6	22	2	5	15	NA	311	PM _{2.5}
20	KSPCB Premises, Haveri	61.7	24.7	9.1	6.0	21.4	17.3	0.0	NA	62	41	11	8	5	17	0	NA	62	PM ₁₀
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	73.0	12.2	68.1	7.3	3.8	7.9	0.6	NA	73	20	85	9	1	8	30	NA	85	SO ₂
22	KSPCB Premises, Karwar	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Continous Ambient Air Quality Monitoring Stations (CAAQMS) in other cities of Karnataka for the month of December - 2019

Sl. No	Name of the Monitoring Stations	Monthly average values of Pollutants								Sub Index								AQI	Prominent Pollutant
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	NH ₃ µg/m ³	O ₃ µg/m ³	CO mg/m ³	C ₆ H ₆ µg/m ³		
1	KSPCB Premises,Mysuru	44.0	28.0	5.0	10.0	15.0	30.0	1.2	2.0	44	47	6	13	4	30	60	NA	60	CO
2	KSPCB Premises, Shivamogga	83.0	41.0	6.0	7.0	8.0	44.0	1.1	2.0	83	68	8	9	2	44	56	NA	83	PM ₁₀
3	KSPCB, Premises, Chikamagaluru	57.0	39.0	5.0	12.0	5.0	60.0	0.9	0.0	57	65	6	15	1	60	45	NA	65	PM _{2.5}
4	KSPCB Premises, Vijayapura	62.0	43.0	3.0	10.0	3.0	55.0	1.2	0.0	62	72	4	13	1	55	60	NA	72	PM _{2.5}
5	Near District Stadium, Chamrajanagar	38.0	23.0	3.0	14.0	18.0	33.0	0.8	0.0	38	38	4	18	5	33	40	NA	40	CO
6	Basaveshwar Engineering College, Bagalkote	93.0	38.0	3.0	15.0	17.0	38.0	0.8	0.0	93	63	4	19	4	38	40	NA	93	PM ₁₀
7	Government PU college, Chikkaballapur	58.0	27.0	11.2	11.3	6.0	38.4	1.0	0.2	58	45	14	14	2	38	52	NA	58	PM ₁₀
8	DC Office Premises, Yadagiri	77.0	49.0	17.0	11.2	4.5	54.1	0.9	0.1	77	82	21	14	1	54	47	NA	82	PM _{2.5}
9	KSPCB Regional Office-Ramanagar	55.0	26.0	26.2	20.8	9.2	17.1	0.4	0.0	55	43	33	26	2	17	21	NA	55	PM ₁₀
10	Mundaragi Road, Near Chirayu Hospital, Gadag	66.4	31.1	14.5	11.1	3.3	7.7	0.6	NA	66	52	18	14	1	8	30	NA	66	PM ₁₀
11	Corporation Garden Opposite, Hubballi	79.6	32.1	4.3	29.1	8.2	0.9	0.4	NA	80	54	5	36	2	1	20	NA	80	PM ₁₀
12	GOVT. ITI College, Kalaburgi	96.7	56.1	8.5	34.2	12.6	15.8	0.4	NA	97	94	11	43	3	16	20	NA	97	PM ₁₀
13	KSPCB Premises, Bidar	81.3	30	10.9	10.7	3.7	0.3	0.5	NA	81	50	14	13	1	0	25	NA	81	PM ₁₀
14	KSPCB Premises, Hassan	51.4	27.7	5.6	14.6	14.5	5.4	0.9	NA	51	46	7	18	4	5	45	NA	51	PM ₁₀
15	KSPCB Premises, Kolar	49.9	0.0	25.6	14.6	11.5	6.5	0.1	NA	50	0	32	18	3	7	5	NA	50	PM ₁₀
16	DC Office Compound, Koppal	108.2	38.4	7.3	15.2	9.8	8.5	0.7	NA	105	64	9	19	2	9	35	NA	105	PM ₁₀
17	Vasanth Vihar, Mangalore	0.0	20.2	7.5	5.8	14.7	1.5	0.9	NA	0	34	9	7	4	2	45	NA	45	CO

18	DC Office compound, Raichur	99.2	45.2	11.2	17.2	3.6	5.4	0.6	NA	99	75	14	22	1	5	30	NA	99	PM ₁₀
19	Board High School compound, Udupi	50.7	167.1	7.6	3.3	4.9	5.5	0.5	NA	51	336	10	4	1	6	25	NA	336	PM _{2.5}
20	KSPCB Premises, Haveri	66.0	29.5	9.0	10.1	28.4	16.5	0.0	NA	66	49	11	13	7	17	0	NA	66	PM ₁₀
21	Central Excise & Customs Office Devaraj URS layout, Davanagere.	71.5	11.7	64.2	7.9	2.7	0.0	0.4	NA	72	20	80	10	1	0	20	NA	80	SO ₂
22	KSPCB Premises, Karwar	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Standards	100.0	60.0	80.0	80.0	400.0	100.0	2.0	5.0										

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases