

PROCEEDINGS OF THE 168th STATE LEVEL CONSENT COMMITTEE MEETING (CFE, CFO & HWM AUTHORISATION) FOR THE YEAR 2019-20 HELD ON 25.06.2019 AT KARNATAKA STATE POLLUTION CONTROL BOARD, 3rd FLOOR, #49, PARISARA BHAVAN, CHURCH STREET, BANGALORE – 560001.

MEMBERS PRESENT:

Sl. No.	Name	Designation
1.	Dr.K.Sudhakar, Chairman, KSPCB.	Chairman
2.	Sri. Manoj Kumar, IFS, Member Secretary, KSPCB.	Member
3.	Sri. Venkatarama, Board Member, KSPCB.	Member
4.	Sri. Piyus Rodrigues, Board Member, KSPCB.	Member
5.	Sri. Hanumagowda S. Marakal, Board Member, KSPCB.	Member
6.	Sri. B.N.Ramesh Kumar, CEO-1, KSPCB.	Invitee
7.	Sri. Shivaramu.K.P, Deputy Director, Dept. of Town Planning, GoK.	Invitee
8.	Sri. Madhusudan, Executive Engineer, BWSSB, Bangalore.	Invitee
9.	Sri.Keshava Murthy, Representative of Chairman, KASSIA, Bangalore	Invitee
	Smt.Viji Karthikeyan, SEO (a/c), Head Office, KSPCB.	Convener

- I. Read & confirm the proceedings of the 167th CCM held on 25.05.2019: The proceedings of the 167th CCM was read and confirmed.
- II. Review of action taken on the proceedings of 166th CCM held on 18.05.2019: Action taken on the proceedings of 166th CCM was noted.

III. 168th CCM :- CFE SUBJECTS

Sl.No.	AGENDA NO.	SUBJECT	DECISION
SEO – NEIA, OTHER THAN BANGALORE			
1.	CFE:168:152	Toyota Kirloskar Motor Private Limited, Plot No.1, Bidadi Industrial Area, Bidadi, Ramanagara District.	Recommended to issue CFE-Expansion for increase in cooling water consumption from 180 to 400KLD, two additional stacks and installation of DEWATS Sewage Treatment Plant with conditions.
2.	CFE:168:153	Shree Gluco Biotech Pvt Ltd., Sy. No. 43/1, 43/2A, 43/2B, 43/2C, 44/1, 44/2, 44/3, 44/4, 44/5, 45/1, 45/2 of Gejjanhalli Village and 103/1, 103/2, 103/3, 103/4, 104/1, 104/2, 104/3, 104/4, 105, 106/1, 116/1A, 116/1B, 116/2 102/2 of Eswaragowdanahalli Village, Nanjangud Tq, Mysore Dist.	Recommended to issue CFE-Expansion for additional ETP units and power generation from Biogas - 1169KWH with conditions.
CEO – NEIA, BANGALORE			
3.	CFE:168:154	Mother Dairy (Unit of KMF), Yelahanka, GKVK Post, Bengaluru 560065.	Recommended to issue CFE-Expansion for installation of new Boiler of capacity 8T/Hr (Furnace oil and gas fired) in place of existing 3TPH furnace oil-fired boiler with conditions. Chairman, KSPCB to visit the unit.
4.	CFE:168:155	Indo-Us Mim Tec Private limited, Plot No.43, 44 &45(P), KIADB Industrial Area, Doddaballapura Taluk, Bangalore Rural District.	Committee after detailed deliberations deferred the subject. Compliance report submitted by the industry authorities to be verified and subject to be placed in CCM.

Sl.No.	AGENDA NO.	SUBJECT	DECISION
SEO - WMC			
5.	CFE:168:156	BWSSB (150 MLD New STP) Sy. 109, 110, 111, 112, 118, 119 & 120 Pantharapalya Village, R.R.Nagar, Kengeri Hobli, Bangalore – 560 098.	Committee after detailed deliberations deferred the subject and recommended to call the BWSSB authorities for Technical Presentation before Chairman.
6.	CFE:168:157	BWSSB Doddabele (40 MLD), Sy. No. 118, 119/1, 119/2 & 8/1 Doddabele, Urban Local Body, Nayandahalli, Mysore Road, Bangalore – 560 039.	Committee after detailed deliberations deferred the subject and recommended to call the BWSSB authorities for Technical Presentation before Chairman.
7.	CFE:168:158	BWSSB, Hebbal Sewage Treatment Plant (100 MLD) Nagawara Lake, BDA Ring Road, Bangalore– 560 024.	Committee after detailed deliberations deferred the subject and recommended to call the BWSSB authorities for Technical Presentation before Chairman.
8.	CFE:168:159	BWSSB (20 MLD New STP), Sy. No. 22, 24 of Naganahalli Village, Tavarekere Hobli, Bangalore South Taluk, Bangalore.	Committee after detailed deliberations deferred the subject and recommended to call the BWSSB authorities for Technical Presentation before Chairman.
9.	CFE:168:160	Karnataka Institute of Medical Science, Vidyanagar, Hubli–580022, Dharwad District.	Committee after detailed deliberations deferred the subject and recommended to call the Secretary, Department of Health and Family Welfare & Director, Medical Education for Personal Hearing before Chairman (including other Government Medical Colleges).
10.	CFE:168:161	NIMHANS Hospital, Hosur Road, Bangalore – 560 029.	Recommended to issue CFE-Expansion for installation of ETP of capacity of 100KLD for treating effluent generated from laundry, with conditions.
SEO – INFRASTRUCTURE			
11.	CFE:168:162	Hill Land Estates, Sy. No. 14 & 15 of Srinivasapura Village, Yelahanka Hobli, Bengaluru North Tq, Bangalore	Committee after detailed deliberations recommended to refuse CFE as the project proponent has not submitted / obtained EC.
12.	CFE:168:163	Bright Waves Projects Pvt Ltd., Sy. No. 85/1 of Yadavanahalli Village, Attibele Hobli, Anekal Taluk, Bengaluru Urban District.	Committee after detailed deliberations deferred the subject and recommended to call the Project proponent for Personal Hearing before Chairman.
13.	CFE:168:164	Smt. Nagarathnamma & Others, Sy. No. 27/4 Part, 382, 383/1, 383/2, 383/3, 384 Part, 385 Part, 405/1 & 405/2 of Kaggalipura Village, & 53 of K. Chudahalli Village, Uttarahalli Hobli, Bengaluru South Taluk.	Committee after detailed deliberations deferred the subject and recommended to call the Project proponent for Personal Hearing before Chairman.
14.	CFE:168:165	Siddeshwari Griha Nirman Pvt Ltd., Sy. No. 6/1 & 7/1 of Venkatale Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru.	Committee after detailed deliberations deferred the subject and recommended to call the Project proponent for Personal Hearing before Chairman.
15.	CFE:168:166	Sri. G. Jayadev, Sy. No. 158/1, 158/2, 163/2, 164/2, 165/1, 165/2, 165/3, 166/1, 166/2, 167/1, 167/2, 167/3, 168/1 & 168/2 of Dombarahalli Village, Kasaba Hobli, Malur Taluk, Kolar District.	Committee after detailed deliberations deferred the subject and recommended to call the Project proponent for Personal Hearing before Chairman.

Sl.No.	AGENDA NO.	SUBJECT	DECISION
16.	CFE:168:167	Dr. D.Hemachandra Sagar and Dr.D. Premachandra Sagar & Mahatma Gandhi Vidya Peetha Trust, Sy. No. 75/1, 75/2, 75/3, 206 & 207 of Devarakaggalahalli Village, Harohalli Hobli, Kanakapura Taluk, Ramnagara District.	Committee after detailed deliberations deferred the subject and recommended to call the Project proponent for Personal Hearing before Chairman.
17.	CFE:168:168	KNS Infrastructure Pvt Ltd., Sy. No. 12/1, 13/3, 13/15, 13/16, 13/6, 13/7, 13/9, 13/10, 13/11, 13/12, 13/17, 13/19, 13/20, 14/1, 14/2, 25/4, 27/1, 27/2, 27/3, 27/16, 27/18, 27/23, 27/19, 27/20, 27/21, 27/22, 27/24, 27/25, 27/26, 27/28, 27/40, 27/29, 27/30, 27/31, 27/33, 27/34, 27/35, 27/36, 27/37, 27/39, 27/41, 27/42, 27/43, 27/44, 27/45, 27/46, 27/47, 27/48, 27/49, 27/51, 27/52, 27/53, 27/54, 27/55, 27/56, 28/2, 28/3, 28/4, 28/9, 28/10, 28/11, 28/12, 28/13, 28/14, 28/16, 29/2A, 29/2B, 29/2C, 28/1, 28/5, 28/6, 28/7 & 28/8 of Donnenahalli Village, Tavarekere Hobli, Bengaluru South Taluk, Bengaluru.	Recommended to issue CFE-Expansion for development of residential sites from 750 Nos to 838 Nos sites in 44 acres and 37 guntas (additional land of area 04 acres and 23 guntas at Sy.No: 28/1, 28/5, 28/6, 28/7 & 28/8) and enhancement of STP capacity from 405 to 455KLD with conditions as per the Zoning Regulations of BMRDA.
18.	CFE:168:169	Indiabuild Premises Pvt Ltd, Sy. No. 44/3, 45, 49/1, 49/2A, 50/1, 50/2, 51, 52, 53 & 54 of Kammasandra Agrahara Village, Kasaba Hobli, Anekal Tq, Bengaluru Urban District, Bengaluru.	Committee after detailed deliberations deferred the subject and obtain nature of nala (whether primary, secondary or tertiary) present near the project site, from competent authority.
19.	CFE:168:170	Sumadhura Capitol Towers, Sy. No. 14 & 158, Khatha No. 2890 & 2891 of Pattandur Agrahara Village, K.R. Puram Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE for commercial building with built-up area 1,48,408.26sq.mtr with conditions as per the Zoning Regulations of the relevant Planning Authority and as per EC.
20.	CFE:168:171	Residential Layout of Purvankara Limited, Sy. No. 36/1, 36/2, 37/1, 37/2, 37/3, 37/4, 37/5, 39/2, 40/1, 40/2A, 40/2B, 40/3, 40/4, 42/1, 43, 44/1, 44/2, 45, 48, 49, 50, 64 & 65 of Kachanayakanahalli Village, Jigani Hobli, Anekal Taluk, Bengaluru Urban District.	Committee after detailed deliberations deferred the subject and recommended to call the project proponent for Personal Hearing before Chairman.
SEO – 17 CATEGORY			
21.	CFE:168:172	R B Sugars Ltd, Sy.No: 75,76,81 & 82 of Sunkal Village, Lingasur Tq, Raichur District-584101.	Committee after detailed deliberations deferred the subject and recommended to call the unit authorities for Personal Hearing before Chairman.

Sl.No.	AGENDA NO.	SUBJECT	DECISION
IV.CFE REVIEW SUBJECTS:			
SEO- NEIA, OTHER THAN BANGALORE			
22.	CFE:168:173	Hindustan Coca-Cola Beverages Pvt. Ltd. Plot No.32, Sy.No.1 to 4, 7 & 9, Balaveeranahalli Village, Bidadi Industrial Area, Bidadi, Ramanagara District.	Recommended to issue CFE-Expansion for manufacturing aerated juices in the existing aerated soft drinks line (total production of aerated soft drinks and aerated juices not to exceed 31,590KL/month) with conditions.
SEO - INFRASTRUCTURE			
23.	CFE:168:174	Allam Infinite India Pvt Ltd., Sy. No. 53/1, 53/2, 54/1, 54/2, 54/3, 54/4 & 54/5 of Maragondanahalli Village, Jigani Hobli, Anekal Taluk, Bengaluru Urban District.	Recommended to issue CFE to construct residential apartment with 2359 units with built-up area 2,63,453.78 sq.mtrs and 3 STPs of capacities 500KLD, 520KLD & 560KLD with conditions as per the Zoning Regulations of the Anekal Planning Authority.

Sd/-
CHAIRMAN

Sd/-
MEMBER SECRETARY

29/6/19
CONVENER

Sl.No.	AGENDA NO.	SUBJECT	DECISION
V. CFO SUBJECTS:			
SEO- NEIA, OTHER THAN BANGALORE – REVIEW SUBJECT			
24.	CFO:168:180	Chenguang Natural Extracts India (Pvt) Ltd., Plot No:251, 258/1, 258/2, 259, 260, 261, 263, 264, 265, 267/4,267/5, Thriyamkapura Village, Terakanambi Hobli, Gundlupet Taluk, Chamarajanagar District.	Committee after detailed deliberations deferred the subject and recommended to call the unit authorities for Personal Hearing before Chairman.
SEO-WMC			
25.	CFO:168:181	Government General Hospital, Plot No.127, Sedam Road, Kalaburagi District.	Committee after detailed deliberations deferred the subject and recommended to call the Hospital authorities for Personal Hearing before Chairman.
26.	CFO:168:182	BWSSB, STP, Kempambudhi Plant (1MLD), Jinkevana Park, Chamarajpet, Bengaluru – 560 039.	Recommended to issue CFO under Water & Air Acts for operation of STP for the period from 01.07.2018 to 30.06.2023 with conditions.
27.	CFO:168:183	District Hospital, Sy.No.113, B. D. Road, Chitradurga District.	Recommended to issue CFO under Water & Air Acts for the period upto 30.06.2021 with conditions after obtaining affidavit regarding time bound action plan for STP installation.
SEO - INFRASTRUCTURE			
28.	CFO:168:184	Netmagic IT Services Pvt Ltd., Sy.No.146 (Old No. 99), Kajissonnenahalli Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru -560067.	Recommended to issue addendum to CFO for operation of additional 2250 KVA DG set for the period upto 30.06.2022 with conditions.
29.	CFO:168:185	Sobha Limited in the name of "Sobha City", Sy.No.7/1,9/1,9/2 of Nagareshwara Nagenahalli, K.R. Puram Hobli, Bengaluru East Taluk, Bengaluru & Sy.No: 62/2, 62/3, Chokkanahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru.	Recommended to issue addendum to CFO under Water Act for the period upto 30.06.2023, incorporating additional quantity of sewage generated from 360 residential flats with additional built-up area of 81,280.12sq.mtr with conditions, restricting the total built-up area to 4,23,223.42 sq.mtr with a condition to obtain modified sanction plan for total built-up area of 4,28,902.18sq. mtr.
VI. CFO REVIEW SUBJECT:			
30.	CFO:168:186	M Prime Premises Pvt Ltd., Sy. No. 94/2 & 95/2, E-City Software Park, Tower – 2, Electronic City, Phase – 2, Bengaluru - 560100.	Committee after detailed deliberations deferred the subject and recommended to call the unit authorities for Personal Hearing before Chairman.
VII. HAZARDOUS WASTE AUTHORIZATION SUBJECTS: SEO - WMC			
31.	AUTH:168:32	Ramky Enviro Engineers Ltd, Sy.No.19, 40 & 42, Vengurla Road, Turumuri, Belagavi – 591 128.	Recommended to renew HWM authorization for the period upto 30.06.2021 with conditions.
32.	AUTH:168:33	Yenepoya University Medical College & Hospital, Nithyanandanagar, Deralakatte Post, Mangalore-575018.	Recommended to renew HWM authorization for the period upto 30.06.2022 with conditions.