



No PCB 04 ECM 2023/2333

Date: 02 AUG 2023

Proceedings of the 3rd Meeting of the State Level Enforcement Committee for the year 2023-24

Members Present:

Sl No.	Name	Designation
1.	Dr. Shanth A. Thimmaiah, B. Tech. M.Tech. (Indl. Pollution Control) & Ph.D (SE & EIS), Chairman, KSPCB.	Chairman
2.	Shri. Prabhash Chandra Ray, I.F.S, Member Secretary, KSPCB.	Member
3.	Shri. T.Mahesh, CEO 1, KSPCB, Bengaluru.	Member
4.	Shri. Vijaykumar Kadakbavi, CEO 2, KSPCB, Bengaluru.	Member
5.	Shri. P.Niranjan, CEO 3, KSPCB, Bengaluru.	Member
6.	Smt. Viji Karthikeyan, SEO, KSPCB, Waste Management Cell 1.	Member
7.	Shri.B. Rajesh, SEO, KSPCB, Infrastructure & Lake Development Section.	Member
8.	Dr. Shakuntala Bai, SEO, KSPCB, NEIA Section.	Member
9.	Shri. M.N. Yogananda, SEO, KSPCB, Waste Management Cell 2.	Member
10.	Shri. M.Sridhar, SEO, KSPCB, 17 Category & e Governance Section.	Member
11.	Shri.S.Dinesh, SEO, KSPCB, Mines & Metallurgy Section.	Member
12.	Shri. Keshava Murty, Panel Chairman, KASSIA, Bengaluru.	Invitee
13.	Shri. Siddique Beary, Executive Member, CREDAI, Bengaluru Shri Anil Nayak, CEO, CREDAI, Bengaluru.	Invitee
	Shri. V.S. Kumar, EO, KSPCB, Infrastructure & Lake Development Section.	Convener

Members Absent:

- 1) Representative of Managing Director, KWS & DB, Bengaluru with telephonic intimation.
- 2) Representative of Chairman, BWS & SB, Bengaluru.
- 3) Representative of Secretary to Govt. Urban Development Department, Bengaluru.

I. Read & confirmed the proceedings of the Enforcement Committee Meeting held on 17th &18th May 2023.

II. Reviewed the action taken to process the applications as per proceedings of Enforcement Committee Meeting held on 17th &18th May 2023.

III. Enforcement Committee Meeting: - CFE Subjects

SL No.	Agenda No.	Subject	Decision
Infrastructure & Lake Development Section			
1.	CFE:03:68	Mixed Use Development Project Comprising of Residential & Commercial building by Kingston Ventures India Private Limited at Municipal No. 506, Sy.No. 12, Sannathammanahalli Village, K.R. Puram Hobli, Bengaluru East Taluk, Ward No. 52, Bengaluru 560 049.	Recommended to issue CFEST with standard conditions.



2.	CFE:03:69	Residential Layout by SRK Infra Projects Pvt. Ltd, Sy. No. 18/8, 19/1 of Sonnamaranahalli Village and Sy. No. 38/1, 38/2, 38/3, 39/1, 39/2, 39/3, 39/4, 39/5, 39/6, 42, 43, 44/1, 44/2, 44/3, 45, 46/1A, 46/1B, 46/2, 52/1, 52/3 and 53/3 of Gulya Nandigunda Village, Tubagere Hobli, Doddaballapura Taluk, Bengaluru Rural District - 561 205.	Recommended to issue CFEst with conditions to make suitable scientific arrangement to treat the lean flow sewage while exploring the possibility of installing more than one STP based on the topography of the project site.
3.	CFE:03:70	Residential Apartment by 2getherments Infra Private Limited at Sy.No. 73/1, 73/2A, 73/3, Khatha No.866, Hoodi Village, K R Puram Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFExp with condition to obtain NoC from competent authority (KGWA) in respect of abstraction of ground water through bore wells.
4.	CFE:03:71	Residential Apartment by SLV Developers Private Limited, Sy No. 46/1, 46/2, 46/3, 46/4, 46/7, 46/8, 46/9, 46/10, 46/11, 46/12, 46/13, 46/14, 46/15, 46/16, 46/17, 46/18, 46/19 & 46/21 of Yelahanka Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru.	Recommended to issue CFEst with standard conditions.
5.	CFE:03:72	Residential Apartment by White Oaks, at plot No. R-4, Part A & Part B of housing Area (Hardware Sector) Hitech, Defence and Aerospace park, Bengaluru .	Recommended to issue CFEst with standard conditions and separate waste processing yard for waste management.
6.	CFE:03:73	Residential Apartment by Mahindra Lifespace Developers Limited, Sy No. 65 & 116, Begur Hobli, Bengaluru South Taluk, Singasandra Village, Bengaluru 560 068.	Recommended to issue CFEst with condition to obtain NoC from competent authority (KGWA) in respect of abstraction of ground water through bore wells along with obtaining permission from concerned Tree Officer for tree cutting.
7.	CFE:03:74	5 Star Hotel & Commercial Space project by Varun Hospitality Private Limited, Plot No. AM-6-P2 in (IT Sector), Hitech, Defense & Aerospace Park, Arebinnamangala Village, Jala Hobli, Bengaluru North Taluk, Bengaluru District.	Recommended to issue CFEst with standard conditions.
Waste Management Cell - 1			
8.	CFE:03:75	City Municipal Corporation, 24 MLD STP, Hebbagodi, Attibele Hobli, Anekal Taluk, Bengaluru - 560099.	Recommended to refuse the CFEst sought as the applicant has stopped the project due to technical reason.



Mines & Metallurgy Section:			
9.	CFE:03:76	VRKP Sponge & Power Plant (LLP), Sy. No. 229, 288, 289, Halkundi Village, Ballari Taluk & District	Recommended to call the applicant for Technical Presentation on the project based on the outcome of which decision to dispose the CFExp application to be taken.
10.	CFE:03:77	Janaki Corp Limited, Sy. No. 97, 100 & 225, Sidiginamola Village, Ballari Taluk & District	Recommended to issue CFExp with standard conditions.
11.	CFE:03:78	Agarwal Sponge & Energy Pvt. Ltd, Sy. Nos. 899A, 899B, 900, 902B, 907A & 907B, Haraginadoni Road, Kuduthini Village, Ballari Tk & District	Recommended to issue CFExp with standard conditions.
17 Category & e-Governance Section:			
12.	CFE:03:79	G.M. Sugars & Energy Ltd, Sy. No. 40/1, 40/2, 40/3, 40/4, 40/5, 40/6, 41/1, 41/2, 41/3, 41/4, 41/5, 41/6, 42, 47(P), 50/1 (P), 47/2, 49/1, 49/2, 62/2 of Chatnahalli Village, Rattihalli Taluk, Haveri District.	Recommended to issue CFExp with conditions to meet 15% of power requirement through solar power generation as per conditions of Environmental Clearance including installation of solar energy harvesting system in the parking area, submit storm water management plan with RWH to prevent pollution of Tunga Bhadra River.
13.	CFE:03:80	Siddapur Distilleries Ltd, Sy No. 58/2B, 107, 57/2A & 2B, Siddapur Village, Jamkhandi Tq, Bagalkot Dist	Recommended to issue CFExp with standard conditions.
14.	CFE:03:81	Grasim Industries Limited, Sy. No. 1 to 9A1 B1, A2, 16B, 25/10, 38/1 to 38/3 etc., Binaga, Karwar, Uttara Kannada District	Recommended to issue CFExp after the applicant furnishes copy of the acknowledgement issued through Parivesh Portal for having submitted application for Environmental Clearance and furnishing prefeasibility report for installation of effluent treatment plants towards conservation / reduction of fresh water consumption and to submit plan for utilization of treated sewage within three months.
NEIA Section:			
15.	CFE:03:82	Cookson India Pvt, Ltd., Plot No.119 & 120, Hi-Tech Defense & Aerospace Park, Industrial Area, Channarayana pattana, Devanahalli Tq, Bangalore Rural District	Recommended to issue CFExp with conditions to develop tree park as per CPCB guidelines in consultation with the local Forest Officer.
16.	CFE:03:83	Aeque Consumer Products Private Limited Unit-III, Sy.No. 11 Hissa No. 9, 10, 11 & 12 - Village, Hubballi Durable Goods Cluster Private Limited, Dharwad Hobli, Dharwad Taluk, Dharwad District.	Recommended to issue CFExp with standard conditions.



17.	CFE:03:84	Nandini Milk Products Complex, Sy No.270 & 271, Shivanahalli Village, Kasaba Hobli, Kanakapura-Sathnur Road, Kanakapura Taluk, Ramanagara District.	Recommended to issue CFExp with conditions to submit performance evaluation report of the STP within three months' time.
18.	CFE:03:85	Indian Oil Corporation Ltd, Sy No.1046, 1047, 1048 (1=2), 1049, Spinning Mill Road, NH-13, Vijayapura.	Recommended to issue CFExp with conditions to submit monitoring report of ground water quality and VoC on quarterly basis.
19.	CFE:03:86	Toyota Kirloskar Motor Private Limited, Plot No.01, KIADB Industrial Area Bidadi, Ramanagara Taluk & District.	Recommended to call the applicant for Technical Presentation on the project based on the outcome of which decision to dispose the CFExp application to be taken.
20.	CFE:03:87	Kewaunee Labway India Pvt Ltd, Plot No.186, Bommasandra Jigani Link Road, KIADB Industrial Area, Anekal Tq, Bangalore Urban Dist.	Recommended to issue CFExp with standard conditions.
21.	CFE:03:88	Mach Aero Components Pvt Ltd, Plot No. 27B, KIADB Industrial area, Veerapura village, Kasaba Hobli, Doddaballapura Taluk, Bangalore Rural District.	Recommended to verify the Board Laboratory analyzed latest report on treated trade and sewage effluents and process the CFExp application for issue or refusal accordingly based on analysis report conforming or failing to stipulated standards.
22.	CFE:03:89	Strides Shasun Ltd, K.R.S Garden, Sy No.-36/7, Suragajakkanahali Village, Indalawadi Cross, Kasaba Hobli, Anekal Taluk, Bangalore Urban District-560099.	Recommended to refuse the CFExp sought for nonconformance.
Waste Management Cell 2: CFE Ratification			
23.	CFE:03:90	Common Effluent Treatment Plant, Sy. No. 46, 4 th Phase, Bommasandra Industrial Area, Jigani Hobli, Anekal Taluk, Bengaluru Urban District.	Action taken to issue CFEst with standards conditions is ratified with OCEMS mechanism.
CFO Subjects:			
Infrastructure & Lake Development Section			
1.	CFO:03:88	Commercial Complex (Software unit) – M/s.Hewlett Packard India Software Operation Pvt. Ltd, Sy.No.91/1, 91/2 of B.Narayanapura & Sy.no.193/1, 193/2, 193/3, 194, 196/1 & 196/2 of Mahadevapura Village & Post, Whitefield Road, KR Puram Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFO under Water Act and Air Act coterminous with existing CFO with standard conditions ensuring installation of OWC and verifying latest analysis report of the treated sewage meeting the stipulated standards.
2.	CFO:03:89	Caesars Palace Residential Apartment by Nitesh Estates Limited, Sy No. 17/2, 17/3, Raghuvanahalli, Opposite KSIT, Kanakapura Road, Raghuvanahalli, Bengaluru South Taluk, Bengaluru.	Recommended to issue CFO under Water Act with standard conditions for period up to 30.06.2025 coterminous with existing CFO.



3.	CFO:03:90	A J Institute of Engineering & Technology by Laxmi Memorial Education Trust, Sy.No. 2/2, 2/3 P, 2/13, 2/14 P, 2/17, 2/18 P, 2/18 P, 2/15 AP, 2/26 & 13/1P, No 90 B of Bolor Village & No 88 of Derebail Village of Mangaluru Taluk, Dakshina Kannada District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2026 with condition to install and operate OWC within six weeks which is to be ensured by RO by conducting inspection.
4.	CFO:03:91	Commercial Complex (Software Development Centre) by Krishil Capital Holdings Pvt. Ltd., at Sy. No. 16(P) & 76(P) Doddanekkundi Village, Doddanekkundi Industrial Area, K.R. Puram Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with condition to install and operate OWC within six weeks which is to be ensured by RO by conducting inspection.
Waste Management Cell - 1			
5.	CFO:03:92	Big Bag International Pvt. Ltd, Sy. No. 81 (Portion), Block 8 & 9, EPIP Industrial Area, Ganjmat, Mangaluru.	Recommended to issue CFOxp under Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
Mines & Metallurgy Section:			
6.	CFO:03:93	Prakash Sponge Iron and Power Private Limited, Sy NO. 42/1, 42/2, 42/3, 42/4, 42/5, 43/1, Heggere Village, Challakere Taluk, Chitradurga District	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
7.	CFO:03:94	MSPL Limited, Sy. No. 2, 8, 9, 12 to 15, 132 and Part of 05, 06, 07, 16, 17 Halavarthi Village, Koppal Taluk & District.	Recommended to refuse the CFExp sought as the applicant has failed to furnish details sought by the Board.
17 Category & e-Governance Section:			
8.	CFO:03:95	ACC Ltd, Wadi Cement Works, Wadi-II Plant, Post-Wadi, Taluk-Chittapur, District-Kalaburagi, Karnataka	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
9.	CFO:03:96	Dalmia Cement (Bharat) Limited, R.S. No. 394, Yadwad Village, Muadalagi Taluk, Dist-Belagavi	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
10.	CFO:03:97	Orient Cement Limited, Sy. No. 90 to 100, Itgi & Digaon Village, Chittapur Taluk, Kalaburagi District	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
11.	CFO:03:98	Hikal Limited, Plot .No. 82 A, 83-P, 83-P1 & 72, KIADB Industrial Area, Jigani, Jigani Hobli, Aekal Taluk, Bengaluru Urban District - 562 106.	Recommended to defer the subject for want of essential details.



CFO Ratification			
12.	CFO:03:99	Askin Biofuels Pvt Ltd, Sy No. 106/2(P), 106/3, 109/1, 109/3, Alagawadi Village, Raibag Taluk, Belagavi District.	Action taken to withdraw CFO under Water Act & Air Act, vide order dated: 09.06.2023, due to non-compliances is ratified.
13.	CFO:03:100	Bhalkeshwar Sugars Limited, Sy. No. 82, 83, 84, Bajolga Village, Madakatti Cross, Bhalki Taluk, Bidar District.	Action taken to issue closure direction under Water Act, vide order dated: 16.06.2023, due to the non-compliances is ratified.
14.	CFO:03:101	Raichur Laboratories Pvt. Ltd, Plot No. 126, 127,128 & 129, KIADB Industrial Area, Raichur Growth Center, Raichur District.	Action taken to refuse the CFO due to temporary stoppage of production activity is ratified.
NEIA Section:			
15.	CFO:03:102	Mangalore Coal Terminal Pvt Ltd, (formerly M/s. Chettinad Mangalore Coal Terminal Pvt Ltd), Birth No.18, Panambur Mangalore Dakshina Kannada District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
16.	CFO:03:103	Talin Modular Office Furniture Systems Pvt Ltd., Sy No.94/2 & 94/3, Kurandahalli Village, Kasaba Hobli, Malur Taluk, Kolar District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions after verifying and ensuring disposal of hazardous wastes and other wastes as per Rules.
17.	CFO:03:104	Endurance Technologies Ltd, Sy No.28/4-A, 28/4-b, 28/5, 28/6, 28/7, 28/8 & 34/5, Karinayakanahalli, Kasaba Hobli, Malur Taluk, Kolar District.	Recommended to call the applicant for personal hearing in respect of non-compliances observed on STP operation and non compliances to conditions of previous CFO. Based on the outcome of personal hearing decision to dispose the CFO application to be taken.
18.	CFO:03:105	Dairy Plant with UHT Plant Haveri District Co-Operative Milk Producers Society, Sy No.5/2, Jangamanakoppa Village, Agadi Post, Haveri Taluk and District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
19.	CFO:03:106	M.M Industrial Control Pvt Ltd, Sy No.517, 518 and 519, Garag Road, Dharwad.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2026 with standard conditions.
20.	CFO:03:107	Shell Apparels Pvt Ltd, Sy No. 117/3A 312 38, 332-4, Amani gopala Krishnakere Village, Chikka ballapura Shidlaghatta Road, Nandi Hobli, Chikkaballapura (T) & (D).	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions & to submit water balance report.
21.	CFO:03:108	Tenshi Kaizen Private Limited, Plot No. 46, 1 st Phase, Harohalli, KIADB Industrial Area, Kanakapura Taluk, Ramanagara District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with conditions to install captive ETP & STP within six months to make the plant ZLD.



22.	CFO:03:109	Golden Hatcheries, Sy. No. 37/5, 37/7, Hanumanahalli Village, Ranebennur Taluk, Haveri District.	Recommended to process the application in the file after the RO furnishes approved building plan, NoC for withdrawal of water from Tunga Bhadra river and control measures installed to mitigate odor problem. Also ETP shall be as far away as possible from the natural nala.
23.	CFO:03:110	Sudarshan Chempro Private Limited, Plot No. 98-F2-Jigani Phase II, Jigani Indl Area, Anekal Taluk, Bangalore Urban District	Recommended to process the CFO application in the file after RO furnishes details sought by the Board Office.
24.	CFO:03:111	Deccan Industries, Plot No: 194, Bommasandra Industrial Area, 3 rd Phase, Hosur Road, Bengaluru - 560099.	Recommended to refuse the CFO sought as the industry has closed its operation on its own with due diligence with respect to any left out hazardous waste & other effluents.
25.	CFO:03:112	Norwich Clinical Services Pvt Ltd, Plot/Phase.No.147/F, Ground & First Floor, 8 th Main, 3 rd Block, Kormangala, Bengaluru - 560034.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2026 with conditions to monitor and report the performance of the STP on quarterly basis.
26.	CFO:03:113	Supreme Ispat Pvt. Ltd, Sy. No. 39, Icchangur Road, Krishnasagar Village, Attibele Hobli, Anekal Taluk, Bengaluru Urban District.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2026 with conditions levying Environmental Compensation for operating the industry without CFO from 01.07.2021.
27.	CFO:03:114	Lotus Lab Pvt. Ltd. Khata No.242/189/48,49, Nagashetty Halli Division, Ward No.8, Kodigehalli, Bengaluru Urban District-560094.	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2028 with standard conditions.
28.	CFO:03:115	Bharat Petroleum Corporation Ltd., Plot No.323 to 333, 334, (P), Belur Industrial Area, Dharwad.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
29.	CFO:03:116	Hindustan Petroleum Corporation Ltd., Hassan Terminal, Plot No.1A, KIADB Industrial Area, Post Box-119, Mysuru Road, Hassan.	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.
30.	CFO:03:117	Bureau Veritas Consumer Products Services (I) Pvt Ltd., Plot No: AKR Tech Park, C Block, Ground Floor, Sy no.112, 7th Mile, Krishnareddy Indl Area, Bangalore - 560068	Recommended to issue CFOxp under Water Act & Air Act with standard conditions for period up to 30.06.2026 coterminous with existing CFO.



Waste Management Cell - 2			
31.	CFO:03:118	Electronic City Industrial Township Authority (ELCITA), Plot. No. 7(P), KIADB, Phase -2 Electronic City Phase -II, Hosur Road, Bengaluru - 560100	Recommended to issue CFO under Water Act and Air Act for five year period ending on 30.06.2027 with standard conditions.
32.	CFO:03:119	Bengaluru Baptist Hospital, Bellary Road, Hebbal, Bengaluru - 560024.	Recommended to issue CFOxp under Water Act & Air Act for period up to 30.06.2026 coterminous with existing CFO with conditions to monitor and submit STP performance evaluation report on quarterly basis along with issuing notice to the Hospital for non-compliances with STP operation.

Note:

1. Providing sensors to private STPs for monitoring the quality of treated sewage effluent in real time was discussed in the Committee. Accordingly, CEO-2 & SEO Infrastructure & Lake Development to bring the matter before the Technical Advisory Committee for further discussion on the matter.
2. The general subject on relaxation of installation of STP to residential projects with 5000 SQM and above instead of present 2000 SQM and above, as per FEE Gok Notification dated: 19.01.2016, was discussed in the light of Government letter dated:23.06.2023. Accordingly, SEO Infrastructure and Lake Development to bring the matter before the Technical Advisory Committee for further discussion on the matter.
3. Taking note of many ROs not attending the ECM through online mode during deliberation of CFO subjects, the Committee suggested that Bengaluru based ROs to be present in the Board Meeting hall during the ECM henceforth. Other ROs to continue their online presence.
4. CEO 1 to obtain information from SEO WMC 2 on CETPs located in and around Bengaluru and furnish the information to the Chairman with details on their capacity and type of effluents treated.

Sd/-

Dr. Shanth A. Thimmaiah, M.Tech. Ph.D
Chairman

Prabhash Chandra Ray, IFS
Member Secretary

V.S. Kumar
02.08.2022
V.S. Kumar
Convener

Copy to:

1. Technical Officer to Chairman, for information with request to bring it to the kind notice of the Chairman.
2. Personal Assistant to Member Secretary for information with request to bring it to the kind notice of the Member Secretary.
3. Chairman, BWS & SB, Kaveri Bhavan, Kempegowda Road, Bengaluru, for information.



4. Managing Director, KUWS & DB, No: 6, Jalabhavana, 1st Phase, BTM Layout, Bannerghatta Road, Bengaluru 560029, for information.
5. Secretary, Urban Development Department, Vikasa Soudha, Bengaluru, for information.
6. Chairman, KASSIA, No:2/106, 17th Cross, Magadi Chord Road, Vijayanagara, Bengaluru 560 040, for information.
7. Chairman, CREDAI, No: 607/608, 6th Floor, Barton Centre, No: 84, M.G. Road, Bengaluru 560001, for information.
8. Chief Environmental Officer 1, KSPCB, for information and needful.
9. Chief Environmental Officer 2, KSPCB, for information and needful.
10. Chief Environmental Officer 3, KSPCB, for information and needful.
11. Senior Environmental Officer Infrastructure & Lake Development, for information and needful.
12. Senior Environmental Officer WMC 2, for information and needful.
13. Senior Environmental Officer NEIA Section, for information and needful.
14. Senior Environmental Officer, SEO WMC 1, for information and needful.
15. Senior Environmental Officer, 17 Category & e Governance, for information and needful.
16. Senior Environmental Officer, Mines & Metallurgy Section, for information and needful.
17. Senior Environmental Officer, Corporate Cell for kind information with request to bring the proceedings of the ECM to the notice of the Board.
18. Senior Environmental Officer, 17 Category & e-Governance Section, for information with a request to upload the proceedings in the Board website.
19. Environmental Officer, Infrastructure & Lake Development Section & ECM Convener, for information.

