

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of September-2020

Sl No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	45	Good	PM ₁₀
2	KSPCB Office Premises, Mysuru	22	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	36	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	44	Good	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	30	Good	PM ₁₀
7	Baikampady Indl. Area, Mangaluru	47	Good	PM _{2.5}
8	KSPCB Office Premises, Tumakuru	55	Satisfactory	
9	KSPCB Office Premises, Kolar	*	*	*
10	Gokul Road. Opp. to New Bustand, Hubballi	51	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	39	Good	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	34	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	35	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	35	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	47	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	38	Good	PM ₁₀
18	KSPCB Office Premises, Vijyapura	52	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	35	Good	PM ₁₀
20	Government Hospital, Kalaburagi	59	Satisfactory	PM ₁₀
21	KSPCB Office Premises, Raichur	*	*	*
22	KSPCB Office Premises, Ballari	59	Satisfactory	PM ₁₀

23	Traffic Police Station, Davangere	123	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	30	Good	PM ₁₀

-*- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of October-2020

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	48	Good	PM ₁₀
2	KSPCB Office Premises, Mysuru	30	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	35	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	46	Good	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	38	Good	PM ₁₀
7	Baikampady Indl. Area, Mangaluru	55	Satisfactory	PM _{2.5}
8	KSPCB Office Premises, Tumakuru	44	Good	PM ₁₀
9	KSPCB Office Premises, Kolar	*	*	*
10	Gokul Road. Opp. to New Bustand, Hubballi	57	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	44	Good	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	47	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	40	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	35	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	31	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	46	Good	PM ₁₀
18	KSPCB Office Premises, Vijyapura	79	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	35	Good	PM ₁₀
20	Government Hospital, Kalaburagi	74	Satisfactory	PM ₁₀
21	KSPCB Office Premises, Raichur	*	*	*
22	KSPCB Office Premises, Ballari	62	Satisfactory	PM ₁₀

23	Traffic Police Station,Davangere	122	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	49	Good	PM ₁₀

-*- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of November-2020

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	48	Good	PM ₁₀
2	KSPCB Office Premises, Mysuru	40	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	38	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	47	Good	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	37	Good	PM ₁₀
7	Baikampady Indl. Area, Mangaluru	55	Satisfactory	PM ₁₀
8	KSPCB Office Premises, Tumakuru	72	Satisfactory	PM ₁₀
9	KSPCB Office Premises, Kolar	84	Satisfactory	PM ₁₀
10	Gokul Road. Opp. to New Bustand, Hubballi	63	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	49	Good	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	50	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	42	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	38	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	46	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	96	Satisfactory	PM ₁₀
18	KSPCB Office Premises, Vijayapura	85	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	47	Good	PM ₁₀
20	Government Hospital, Kalaburagi	97	Satisfactory	PM _{2.5}
21	KSPCB Office Premises, Raichur	*	*	*

22	KSPCB Office Premises, Ballari	60	Satisfactory	PM ₁₀
23	Traffic Police Station, Davangere	141	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	77	Satisfactory	PM ₁₀

-*- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of December-2020

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	49	Good	PM ₁₀
2	KSPCB Office Premises, Mysuru	40	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	35	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	45	Good	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	37	Good	PM ₁₀
7	Baikampady Indl. Area, Mangaluru	68	Satisfactory	PM ₁₀
8	KSPCB Office Premises, Tumakuru	93	Satisfactory	PM ₁₀
9	KSPCB Office Premises, Kolar	100	Satisfactory	PM ₁₀
10	Gokul Road. Opp. to New Bustand, Hubballi	68	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	55	Satisfactory	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	41	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	43	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	35	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	38	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	120	Moderate	PM ₁₀
18	KSPCB Office Premises, Vijyapura	72	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	48	Good	PM ₁₀
20	Government Hospital, Kalaburagi	140	Moderate	PM _{2.5}
21	KSPCB Office Premises, Raichur	*	*	*

22	KSPCB Office Premises, Ballari	65	Satisfactory	PM ₁₀
23	Traffic Police Station, Davangere	141	Moderate	PM _{2.5}
24	KSPCB Office premises, Bidar	161	Moderate	PM _{2.5}

-*- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of January-2021

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	49	Good	PM ₁₀
2	KSPCB Office Premises, Mysuru	41	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	37	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	46	Good	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	52	Satisfactory	PM ₁₀ & PM _{2.5}
7	Baikampady Indl. Area, Mangaluru	53	Satisfactory	PM ₁₀
8	KSPCB Office Premises, Tumakuru	53	Satisfactory	PM ₁₀
9	KSPCB Office Premises, Kolar	101	Moderate	PM ₁₀
10	Gokul Road. Opp. to New Bustand, Hubballi	71	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	59	Satisfactory	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	46	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	39	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	38	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	35	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	145	Moderate	PM ₁₀
18	KSPCB Office Premises, Vijyapura	63	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	109	Moderate	PM ₁₀
20	Government Hospital, Kalaburagi	109	Moderate	PM ₁₀
21	KSPCB Office Premises, Raichur	*	*	*

22	KSPCB Office Premises, Ballari	68	Satisfactory	PM ₁₀
23	Traffic Police Station, Davangere	141	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	95	Satisfactory	PM ₁₀

-*.- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of February-2021

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	55	Satisfactory	PM ₁₀
2	KSPCB Office Premises, Mysuru	49	Good	PM ₁₀
3	KSPCB Office Premises, Mandya	43	Good	PM ₁₀
4	KSPCB Office Premises, Chamarajanagara	53	Satisfactory	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	72	Satisfactory	PM _{2.5}
7	Baikampady Indl. Area, Mangaluru	51	Satisfactory	PM ₁₀
8	KSPCB Office Premises, Tumakuru	93	Satisfactory	PM _{2.5}
9	KSPCB Office Premises, Kolar	140	Moderate	PM _{2.5}
10	Gokul Road. Opp. to New Bustand, Hubballi	73	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	62	Satisfactory	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	58	Satisfactory	PM ₁₀
14	KSPCB Office Premises, Chitradurga	41	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	38	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	32	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	121	Moderate	PM ₁₀
18	KSPCB Office Premises, Vijyapura	62	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	75	Satisfactory	PM ₁₀
20	Government Hospital, Kalaburagi	119	Moderate	PM ₁₀
21	KSPCB Office Premises, Raichur	*	*	*
22	KSPCB Office Premises, Ballari	73	Satisfactory	PM ₁₀
23	Traffic Police Station, Davangere	141	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	107	Moderate	PM _{2.5}

-* - Monitoring not done		
Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases

Air Quality Index (AQI) of Manual Ambient Air Quality Monitoring Stations in Karnataka other than Bengaluru City for the month of March-2021

SI No	Name of the Monitoring Stations	Index Value	Category	Prominent Pollutant
1	KSRTC, Building, K. R. Circle, Mysuru	60	Satisfactory	PM ₁₀
2	KSPCB Office Premises, Mysuru	59	Satisfactory	PM ₁₀
3	KSPCB Office Premises, Mandya	48	Good	PM ₁₀
4	KSPCB Office Premises, ChamaraJanagara	55	Satisfactory	PM ₁₀
5	KSPCB Office Premises, Kodagu	*	*	*
6	KSPCB Office Premises, Hassan	56	Satisfactory	PM ₁₀
7	Baikampady Indl. Area, Mangaluru	52	Satisfactory	PM ₁₀
8	KSPCB Office Premises, Tumakuru	129	Moderate	PM ₁₀
9	KSPCB Office Premises, Kolar	150	Moderate	PM ₁₀
10	Gokul Road. Opp. to New Bustand, Hubballi	75	Satisfactory	PM ₁₀
11	KSPCB Office Premises, Dharwad	64	Satisfactory	PM ₁₀
12	Karwar Port, Director's Office, Karwar	*	*	*
13	KSPCB Office Premises, Davangere	39	Good	PM ₁₀
14	KSPCB Office Premises, Chitradurga	44	Good	PM ₁₀
15	HPF Intake Well, Kumarapatnam,	39	Good	PM ₁₀
16	Vishveshwariah Iron & Steel Ltd., Bhadravathi	31	Good	PM ₁₀
17	KSPCB Office Premises, Belagavi	141	Moderate	PM ₁₀
18	KSPCB Office Premises, Vijyapura	83	Satisfactory	PM ₁₀
19	KSPCB Office Premises, Bagalkote	78	Satisfactory	PM _{2.5}
20	Government Hospital, Kalaburagi	117	Moderate	PM ₁₀

21	KSPCB Office Premises, Raichur	*	*	*
22	KSPCB Office Premises, Ballari	73	Satisfactory	PM ₁₀
23	Traffic Police Station,Davangere	137	Moderate	PM ₁₀
24	KSPCB Office premises, Bidar	120	Moderate	PM _{2.5}

-*- Monitoring not done

Range	Category	Possible Health Impacts
0-50	Good	Minimal Impact
51-100	Satisfactory	Minor breathing discomfort to sensitive people
101-200	Moderate	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
201-300	Poor	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
301-400	Very Poor	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
> 401	Severe	May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases