



KARNATAKA STATE POLLUTION CONTROL BOARD

No.49, Parisara Bhavan, Church Street, Bengaluru-560 001.

AQMC Cell

Noise levels measured at Ten Continuous Noise Monitoring Stations in Bengaluru city for the month of June 2023

Date	Limits in dB(A) Leq*	Day Time			% Increase	Limits in dB(A) Leq*	Night Time			% Increase	No. of Days
		Leq	Lmin	Lmax			Leq	Lmin	Lmax		
1. Indira Gandhi Institute of Child Health (NIMHANS), Silence Zone											
June-2023	50	56.8	22.3	106.0	13.6%	40	57.1	23.0	82.5	42.8%	30 days
2. RVCE Mysore Road, Silence Zone											
June-2023	50	80.5	53.0	105.5	61.0%	40	81.6	49.6	107.8	104.0%	30 Days
3. TERI Office, Domlur, Residential Area											
June-2023	55	64.1	53.8	102.6	16.5%	45	57.5	41.6	76.5	27.8%	30 Days
4. BTM Layout, Residential Area											
June-2023	55	70.6	26.1	105.7	28.4%	45	68.7	26.1	89.5	52.7%	30 Days
5. Regional Office Complex, KSPCB, Nisarga Bhavan, S.G.Halli, Residential Area											
June-2023	55	53.5	42.2	105.8	Within limit	45	45.5	35.7	91.5	1.1%	30 Days
6. Parisara Bhavan, Church Street, KSPCB, Commercial Area											
June-2023	65	63.5	50.1	80.7	Within limit	55	64.7	55.4	105.1	17.6%	30 Days
7.CAAQMS of CPCB at BWSSB site, Kadubisanahalli Marathahalli, Commercial Area											
June-2023	65	58.3	28.7	125.6	Within limit	55	58.0	27.3	124.6	5.5%	30 Days
8.Yeshwanthpur, Police Station, Commercial Area											
June-2023	65	72.2	66.2	102.8	11.0%	55	64.5	55.9	85.3	17.3%	30 Days
9.Near ITPL, White field Industrial Area (Graphite India) Industrial Area											
June-2023	75	70.1	63.4	98.1	Within limit	70	64.2	55.2	76.4	Within limit	30 Days
10.CAAQMS of CPCB at ACE Manufacturing System, Peenya Industrial Area											
June-2023	75	61.4	43.5	105.2	Within limit	70	59.1	42.0	70.8	Within limit	30 Days

Note:

1. Day time shall mean from 6.00 AM to 10.00 PM and Night time shall mean from 10.00PM to 6.00 AM
2. Silence zone is an area comprising not less than 100 meters around Hospitals, Educational Institutions, Courts, Religious places or any other which is declared as such by the competent authority.
3. dB(A) Leq denotes the time weighted average of the level of sound decibels on scale "A" which is relatable to human hearing. "A" decibel is a unit in which noise is measured.
4. "A" in dB(A) Leq, denotes the frequency weighting in the measurements of noise and corresponds to frequency response characteristics of the human ear.
5. "Leq" it is energy mean of the noise level over a specific period.