

**Noise levels measured at Ten Continuous Noise Monitoring Stations in Bangalore city
for the months of April 2018 to January-2019.**

Date	Limits in dB(A) Leq*	Day Time			% Increase	Limits in dB(A) Leq*	Night Time			% Increase	No. of Days
		Leq	Lmin	Lmax			Leq	Lmin	Lmax		
1. Indira Gandhi Institute of Child Health (NIMHANS), Sensitive Area											
April-18	50	49.4	34.8	87.2	Within limit	40	53.1	35.0	85.9	32.8 %	30 Days
May-18	50	48.5	33.3	91.5	Within limit	40	58.7	33.1	98.1	46.8 %	31 Days
June-18	50	69.4	48.6	84.6	38.8 %	40	64.0	50.4	78.0	60.0%	30 days
July-18	50	69.2	48.6	85.0	38.4 %	40	64.6	50.4	74.7	61.5%	31 Days
Aug-18	50	68.8	48.6	81.4	37.6 %	40	66.0	35.4	87.7	65.0%	31 Days
Sep-18	50	68.5	38.0	87.8	37.0 %	40	63.0	39.7	81.6	57.5%	30 Days
Oct-18	50	67.1	48.6	104.5	34.2 %	40	60.8	50.4	81.5	52.0%	31 Days
Nov-18	50	64.6	25.2	76.0	29.2 %	40	59.1	41.9	70.1	47.7%	30 Days
Dec-18	50	62.8	35.6	85.4	25.6 %	40	61.6	35.5	78.1	54.0 %	31 Days
Jan-19	50	54.6	21.6	85.1	9.2 %	40	52.1	21.0	78.7	30.2 %	31 Days
2. RVCE Mysore Road, Sensitive Area											
April-18	50	55.2	46.6	73.8	10.4 %	40	50.7	45.8	67.3	26.8 %	30 Days
May-18	50	58.3	48.6	78.4	16.6 %	40	52.7	47.1	75.0	31.8 %	31 Days
June-18	50	58.6	48.6	75.8	17.2%	40	52.8	46.8	72.9	32.0%	30 Days
July-18	50	59.6	48.6	77.3	19.2%	40	53.0	47.4	63.1	32.5%	31 Days
Aug-18	50	59.2	48.6	75.2	18.4%	40	52.5	46.7	60.0	31.3%	31 Days
Sep-18	50	55.7	46.8	89.4	11.4%	40	53.7	32.0	73.4	34.2%	30 Days
Oct-18	50	58.0	48.6	104.4	16.0%	40	52.3	46.1	69.3	30.7%	31 Days
Nov-18	50	57.6	49.9	76.8	15.2%	40	52.0	45.5	64.6	30.0%	30 Days
Dec-18	50	57.7	50.6	83.9	15.4%	40	51.7	45.4	69.8	29.2%	31 Days
Jan-19	50	57.0	21.6	72.9	14.0 %	40	51.5	44.9	77.6	28.7 %	31 Days
3. TERI Office, Domlur, Residential Area											
April-18	55	57.9	41.6	83.3	5.3 %	45	53.2	41.5	73.0	18.2 %	30 Days
May-18	55	60.6	47.4	87.1	10.1 %	45	53.0	39.2	78.1	17.8 %	31 Days
June-18	55	65.0	48.6	82.3	18.1%	45	60.3	42.4	75.5	34.0%	30 Days
July-18	55	66.0	48.6	82.8	20 %	45	61.2	41.8	74.3	36 %	31 Days
Aug-18	55	65.0	48.6	85.0	18.2%	45	60.4	40.1	71.2	34.2%	31 Days
Sep-18	55	61.4	48.6	78.8	11.6%	45	53.7	38.6	71.0	19.3%	30 Days
Oct-18	55	62.0	48.6	104.4	12.7%	45	52.1	40.1	71.4	15.7%	31 Days
Nov-18	55	63.3	50.2	79.5	15.0%	45	55.0	39.8	73.3	22.2%	30 Days
Dec-18	55	65.9	51.2	80.2	19.8%	45	56.9	44.9	80.2	26.4 %	31 Days
Jan-19	55	61.8	21.6	73.9	12.4 %	45	54.9	39.4	73.1	22.0 %	31 Days
4. BTM Layout, Residential Area											
April-18	55	58.2	48.6	71.73	5.8%	45	58.0	50.4	82.3	28.9%	30 Days
May-18	55	65.5	48.6	86.9	19.0%	45	65.2	50.4	84.7	44.9 %	31 Days
June-18	55	64.7	48.6	107.0	17.6%	45	65.7	50.4	75.3	46.0%	30 Days
July-18	55	67.7	48.6	77.2	23.0%	45	67.0	50.4	103.4	48.8%	31 Days
Aug-18	55	67.4	48.6	80.7	22.5%	45	67.1	50.4	73.9	49.1%	31 Days
Sep-18	55	68.1	48.6	93.4	23.8%	45	68.3	50.4	106.7	51.7%	30 Days

Oct-18	55	67.3	48.6	108.1	22.3%	45	67.1	50.4	74.3	49.1%	31 Days
Nov-18	55	66.9	62.3	84.5	21.6%	45	66.6	62.1	72.9	48.0%	30 Days
Dec-18	55	67.6	63.9	71.9	22.9%	45	67.3	62.7	73.9	49.5%	31 Days
Jan-19	55	66.3	21.6	79.5	20.5 %	45	66.2	50.4	85.5	47.1 %	31 Days

5. Regional Office Complex, KSPCB, Nisarga Bhavan, S.G.Halli, Residential Area

April-18	55	53.0	44.2	83.6	Within limit	45	48.9	43.1	72.9	8.7 %	30 Days
May-18	55	56.7	44.0	93.0	3.1%	45	52.3	43.3	92.0	16.2 %	31 Days
June-18	55	48.1	43.7	80.5	Within limit	45	47.0	43.3	77.5	4.4%	30 Days
July-18	55	55.5	44.8	98.0	0.90 %	45	51.6	43.5	89.2	14.7%	31 Days
Aug-18	55	44.2	47.6	81.7	Within limit	45	40.1	43.7	79.6	Within limit	31 Days
Sep-18	55	55.0	43.9	95.9	Within limit	45	52.7	44.0	98.0	17.1%	30 Days
Oct-18	55	69.5	48.6	104.1	26.3%	45	60.9	47.2	82.0	35.3%	31 Days
Nov-18	55	58.4	44.8	84.1	6.1 %	45	51.0	41.0	73.9	13.3 %	30 Days
Dec-18	55	54.9	47.7	67.1	Within limit	45	49.3	43.6	58.1	9.5 %	31 Days
Jan-19	55	53.3	21.6	100.6	Within limit	45	47.9	38.4	77.5	6.4 %	31 Days

6. Parisara Bhavan, Church Street, KSPCB, Commercial Area

April-18	65	61.4	48.6	61.4	Within limit	55	63.0	50.4	92.2	14.5 %	30 Days
May-18	65	66.6	48.6	82.9	2.5 %	55	60.3	49.1	71.7	9.6 %	31 Days
June-18	65	66.5	48.6	79.5	2.3 %	55	60.3	49.8	75.8	9.6%	30 Days
July-18	65	66.5	48.6	76.6	2.3 %	55	60.7	50.0	74.2	10.3%	31 Days
Aug-18	65	66.5	48.6	83.2	2.3 %	55	60.7	49.3	73.1	10.3%	31 Days
Sep-18	65	66.4	48.6	94.5	2.1 %	55	60.7	49.5	75.0	10.3%	30 Days
Oct-18	65	66.5	48.6	103.2	2.3 %	55	60.6	48.8	75.7	10.1%	31 Days
Nov-18	65	66.4	55.2	90.3	2.1 %	55	60.4	48.5	79.8	9.8 %	30 Days
Dec-18	65	66.8	55.9	74.3	2.8 %	55	60.9	50.9	70.7	10.7 %	31 Days
Jan-19	65	66.2	21.6	81.8	1.8 %	55	59.5	49.4	87.3	8.2 %	31 Days

7.CAAQMS of CPCB at BWSSB site, Kadubisanahalli Marathahalli, Commercial Area

April-18	65	52.5	32.7	96.4	Within limit	55	53.1	35.8	81.8	Within limit	30 Days
May-18	65	20.2	15.3	96.4	Within limit	55	19.1	23.8	95.5	Within limit	31 Days
June-18	65	35.4	15.4	105.2	Within limit	55	36.0	19.1	149.6	Within limit	30 Days
July-18	65	56.5	23.0	110.8	Within limit	55	57.8	30.1	145.2	5.0%	31 Days
Aug-18	65	73.2	42.5	129.3	12.6%	55	68.7	50.4	100.5	25.0%	31 Days
Sep-18	65	45.7	48.6	132.7	Within limit	55	46.3	50.4	131.7	Within limit	30 Days
Oct-18	65	60.7	48.6	122.8	Within limit	55	58.2	48.8	87.8	5.8%	31 Days
Nov-18	65	59.5	47.3	101.5	Within limit	55	57.0	46.1	99.0	3.6 %	30 Days
Dec-18	65	57.9	50.0	97.3	Within limit	55	55.6	41.8	102.5	1.0 %	31 Days
Jan-19	65	60.7	21.6	106.4	Within limit	55	58.7	46.8	104.8	6.7 %	31 Days

8.Yeshwanthpur, Police Station, Commercial Area

April-18	65	68.1	48.6	81.7	4.8 %	55	60.6	50.4	73.3	10.2 %	30 Days
May-18	65	71.0	48.6	85.5	9.2 %	55	62.5	50.4	73.5	13.6 %	31 Days
June-18	65	71.8	48.6	79.3	10.4%	55	63.6	50.4	74.5	15.6%	30 Days
July-18	65	72.7	48.6	83.3	11.8%	55	64.7	50.4	75.0	17.6%	31 Days
Aug-18	65	72.2	48.6	83.0	11.0%	55	64.6	50.4	73.0	17.5%	31 Days
Sep-18	65	71.6	48.6	90.3	10.1%	55	63.3	50.4	76.8	15.0%	30 Days
Oct-18	65	71.4	48.6	104.5	9.8%	55	62.6	50.4	72.4	13.8%	31 Days
Nov-18	65	71.6	66.1	81.6	10.1%	55	62.7	55.0	75.9	14.0%	30 Days
Dec-18	65	71.7	65.7	75.2	10.3%	55	62.7	55.6	70.8	14.0%	31 Days
Jan-19	65	71.1	21.6	77.3	9.4 %	55	62.6	53.4	74.6	13.8 %	31 Days

9.Near ITPL, White field Industrial Area (Graphite India) Industrial Area											
April-18	75	61.4	48.6	108.7	Within limit	70	59.0	48.9	106.6	Within limit	30 Days
May-18	75	61.6	48.6	109.0	Within limit	70	61.7	50.4	109.7	Within limit	31 Days
June-18	75	65.5	48.6	86.8	Within limit	70	63.7	50.4	107.6	Within limit	30 Days
July-18	75	67.2	48.6	108.7	Within limit	70	62.9	50.4	106.0	Within limit	31 Days
Aug-18	75	64.0	48.6	109.3	Within limit	70	61.5	50.4	108.2	Within limit	31 Days
Sep-18	75	49.4	48.6	110.2	Within limit	70	50.2	50.4	109.6	Within limit	30 Days
Oct-18	75	45.6	48.6	74.2	Within limit	70	48.1	50.4	69.0	Within limit	31 Days
Nov-18	75	65.8	54.2	111.1	Within limit	70	59.1	49.4	73.1	Within limit	30 Days
Dec-18	75	62.9	50.3	107.8	Within limit	70	65.9	58.8	109.9	Within limit	31 Days
Jan-19	75	63.9	21.6	103.1	Within limit	70	66.4	30.5	98.2	Within limit	31 Days
10.CAAQMS of CPCB at ACE Manufacturing System, Peenya Industrial Area											
April-18	75	58.4	48.6	92.9	Within limit	70	58.0	47.2	73.7	Within limit	30 Days
May-18	75	61.2	45.6	76.7	Within limit	70	55.9	44.2	67.2	Within limit	31 Days
June-18	75	62.0	48.6	77.2	Within limit	70	56.0	50.4	63.3	Within limit	30 Days
July-18	75	60.4	48.6	94.3	Within limit	70	54.3	50.4	65.1	Within limit	31 Days
Aug-18	75	59.0	48.6	80.7	Within limit	70	62.5	50.4	86.4	Within limit	31 Days
Sep-18	75	52.4	48.6	75.4	Within limit	70	48.5	49.7	75.2	Within limit	30 Days
Oct-18	75	53.4	48.6	98.0	Within limit	70	48.1	53.5	62.5	Within limit	31 Days
Nov-18	75	60.3	51.0	73.1	Within limit	70	55.9	52.1	67.8	Within limit	30 Days
Dec-18	75	60.6	53.7	71.5	Within limit	70	56.2	53.0	61.1	Within limit	31 Days
Jan-19	75	60.6	21.6	94.8	Within limit	70	57.4	49.1	93.8	Within limit	31 Days

Note:

1. Day time shall mean from 6.00 AM to 10.00 PM
2. Night time shall mean from 10.00PM to 6.00 AM
3. Silence zone is an area comprising not less than 100 meters around Hospitals, Educational Institutions, Courts, Religious places or any other which is declared as such by the competent authority.
4. dB(A) Leq denotes the time weighted average of the level of sound decibels on scale “A” which is relatable to human hearing.
5. “A” decibel is a unit in which noise is measured.
6. “A” in dB(A) Leq, denotes the frequency weighting in the measurements of noise and corresponds to frequency response characteristics of the human ear.
7. “Leq” it is energy mean of the noise level over a specific period.